

VILLAGE OF GERMANTOWN
N112 W17001 MEQUON ROAD
GERMANTOWN, WI 53022

MEETING: **PUBLIC SAFETY COMMITTEE**

DATE AND TIME: **MONDAY, JUNE 6, 2016** **5:30 p.m.**

LOCATION: **VILLAGE HALL BOARD ROOM**
N112 W17001 MEQUON ROAD

- I. **CALL TO ORDER:** This meeting has been given public notice in accordance with Wisconsin Statutes, Section 19.83 and 19.84 in such form that will apprise the general public and news media of subject matter that is intended for discussion and action.
- II. **ROLL CALL:** Chairperson Hughes, Trustees Baum, Daniels and Myers.
- III. **PUBLIC COMMENT:** *Please be advised per State Statute Section 19.84(2), information will be received from the public. It is the policy of this municipality that there be a three minute time period, per person, with time extensions per the Chief Presiding Officer's discretion; be further advised that there may be limited discussion on the information received. However, NO ACTION will be taken under public comments.*
- IV. **APPROVAL OF MINUTES:** May 2, 2016 Regular Meeting
- V. **REPORTS:**
 - A. Police Department
 1. Monthly
 2. Annual
 - B. Fire Department
 1. Monthly
 - C. Overtime Reports
 1. Police Department
 2. Fire Department
 - D. Policy Updates
 1. Police Department:
 - a. None
 2. Fire Department:
 - a. None
- VI. **UNFINISHED BUSINESS:** None

VII. **NEW BUSINESS:**

All license approvals to be conditional upon compliance of all code violations/requirements and monies owed to the village paid prior to issuance of licenses in addition to any other conditions noted.

- A. Animal Fancier License thru December 31, 2016:
Paul & Cynthia Smith, W140N13629 Country Aire Dr., (New)
- B. **"Class B" Fermented Malt Beverage and Intoxicating Liquor Licenses**
1. Gerald Louis Wagner, 20315 Sutter Creek Dr. #127, Brookfield, WI 53045, d/b/a **KJ's Bar and Grill**, N112 W21209 Mequon Road, Germantown, WI, 53022. (Includes outside 20' x 25' deck to be open until 10:00 p.m.)
 2. Old Town WI, LLC, Charles B. Hastings, Agent, 644 Hwy. K, Erin, WI, 53027, d/b/a **Old Town Inn**, N116 W15841 Main Street, Germantown, WI, 53022. (includes outdoor deck open until 10:00 p.m.)
 3. Riversbend Country Club, Inc., Charles L. Schmit, Agent, N132 W18021 Rockfield Road, Germantown, WI, 53022, d/b/a **Riversbend Golf Club**, N96 W18034 County Line Road, Germantown, WI 53022. (includes a 36' trailer and service on the golf course from a motorized beverage cart).
 4. WI Bier Stube LLC, Charles B. Hastings, Agent, 644 Hwy. K, Erin, WI, 53027, d/b/a **Von Rothenburg Bier Stube**, N116 W15863 Main Street, Germantown, WI, 53022. (includes outside fenced beer garden extended to parking lot open until 10:00 p.m.)
- C. **"Class B" Winery License**
1. Apple Works Winery LLC, Kevin H. Behnke, Agent, W179 N12536 Fond Du Lac Ave., Germantown, WI 53022 d/b/a **Apple Works Winery/Behnke Estates**, W179 N12536 Fond Du Lac Ave., Germantown, WI 53022 (Includes an Outside Premise Extension which includes an outdoor patio area and tent until 9:00 p.m.)
- D. **Class "B" Fermented Malt Beverage Licenses**
1. PH Hospitality Group, LLC, Richard Tomczek, Agent, 11514 N. Buntrock Avenue, Mequon, WI 53092, d/b/a **Pizza Hut**, N112 W15800 Mequon Road, Germantown WI 53022
- E. **"Class A" Fermented Malt Beverage and Intoxicating Liquor Licenses**
1. Aldi Inc., Lucy E. Scharrer, Agent, 6152 St. Anthony Road, Allenton, WI, 53002, d/b/a **Aldi #67**, N96 W18838 County Line Road, Germantown, WI, 53022.
 2. Walgreen Co., Vickie Matt, Agent, 1411 Deer Trail Court, Hubertus, WI 53033, d/b/a **Walgreens #05427**, W156 N11261 Pilgrim Road, Germantown, WI 53022.
 3. Kalim Beg, 2715 W. Country Club Drive, Mequon, WI 53092, d/b/a **KAL Service Willow Creek BP**, W201 N10451 Appleton Avenue, Germantown, WI 53022.
- F. **Class "A" Fermented Malt Beverage Licenses**
1. Speedway, LLC, Kimberly L. Doran, Agent, N108 W16526 Carriage Ave., Germantown, WI 53022 d/b/a **Speedway #4465**, W178 N9653 Riversbend Lane, Germantown, WI 53022
 2. Speedway, LLC, Mary E. Wicklander, Agent, W226 N7256 Woodland Creek Dr., Sussex, WI 53089, d/b/a **Speedway #4495**, W164 N11233 Squire Drive, Germantown, WI 53022

VII. **NEW BUSINESS continued:**

G. **Amusement Arcade Licenses July 1, 2016 - June 30, 2017**

1. Barley Pop Brew Haus LLC, d/b/a Barley Pop Pub & Restaurant, N116
W16137 Main Street 13 devices
2. Bubs on Main LLC 14 devices
d/b/a Bubs Irish Pub
N116 W16218 Main Street
3. Maple Road, LLC 10 devices
d/b/a Buzdum's Pub
W188 N10515 Maple Road
4. Eastern Kettle Moraine Moose Lodge 16 devices
d/b/a E.K.M. Moose Lodge #1238
W198 N10217 Appleton Avenue
5. JK GAM, LLC 8 devices
d/b/a Gamroth's Kuhburg Junction
W140 N10385 Fond du Lac Avenue
6. Northridge Automotive Enterprises, Inc. 8 devices
d/b/a Ivey's at Main
W157 N11618 Fond du Lac Avenue
7. Robin Bird LLC 13 devices
d/b/a Sports Corner Bar & Grill
W187 N12793 Fond du Lac Avenue

H. Review of Outside Premises Hours

I. Update of Emergency Medical Services Billing Rate – Fire Dept.

J. Updated and Revised Fire Protection Ordinance – Fire Dept.

K. Ambulance Remount Bid Results and Recommendation

VIII. **NEXT MEETING:** Set July 2016 Meeting Date and Time

IX. **ADJOURNMENT:**

UPON REASONABLE NOTICE, efforts will be made to accommodate the needs of disabled individuals through appropriate aids and services. For additional information or to request this service please contact the Village Clerk at (262)250-4740 at least 2 days prior to the meeting.

NOTICE is given that a majority of the Village Board may attend this meeting to gather information about an agenda item over which they have decision making responsibility. This may constitute a meeting of the Village Board per State ex rel. Badke v. Greendale Village Board, even though the Village Board will not take formal action at this meeting.

IV

**MEETING MINUTES
PUBLIC SAFETY COMMITTEE MEETING
MAY 2, 2016
GERMANTOWN VILLAGE HALL BOARD ROOM**

CALL: The meeting was called to order at 5:32 p.m. by Chairman Hughes.

ROLL CALL: Chairman Hughes and Trustees Daniels and Myers. Trustee Baum was absent and excused.

Also present were Police Chief Hoell, Police Captain Snow and Fire Chief Weiss.

PUBLIC COMMENT: no discussion.

APPROVAL OF MINUTES: a motion was made by Myers, seconded by Daniels, to approve the minutes of the April 4, 2016 Public Safety Committee Meeting. Motion carried unanimously.

POLICE DEPARTMENT MONTHLY REPORT: Hoell reported on the following:

- Police department participated in the "Every 15 Minutes" program at Germantown High School which was a 2-day event
- Over 100 pounds of prescription drugs were deposited in the drop box at the police department over the past six months
- The department assisted Washington County Sheriff with stopping an armed robbery suspect
- Mass casualty drill will be held at Kennedy Middle School on Friday, May 6, 2016

FIRE DEPARTMENT MONTHLY REPORT: Weiss reported on the following:

- Weiss and Rossman received Fire Inspection License as required by Act 270
- EKG monitors can now transmit results directly to ER
- Department is participating in EMS patient triage program which will begin in 2 weeks
- Grant received from WISAFE for smoke detector giveaway installation program, they will be starting in Hilltop Circle
- 2 firefighters are ready to graduate from MPO class, and 1 from advanced EMT training
- 2 firefighters will be participating in Rapid Intervention Team training
- 3 firefighters scheduled for EMT basic training, and 1 for advanced EMT training
- Brush truck is back in service

OVERTIME REPORTS FOR POLICE & FIRE DEPARTMENT: Police Department - Hoell advised overtime is tracking normally, the department is nearly back to full staff.

Fire Department - Weiss reported he is steadily decreasing the amount of overtime hours being worked.

POLICY UPDATES:

Police Department - Snow advised the department has one new policy and briefed the committee on the policy.

1. 6.35 Trespassing, Arrest and Removal

Fire Department - Weiss reported that the Fire Department has four new policies and briefed the committee on the policies.

1. 0203.17 Water Supply Maple Terrace MHP, Hilltop Drive
2. 0201.03 Non-emergency Response - Apparatus Response
3. 0204.04 Medical Examiner Notifications - Incident Involving the Medical Examiner
4. 0204.05 Alerts (EMS) - Trauma, Stroke and STEMI Alert Policy

NEW BUSINESS: Hughes advised that all license approvals are to be conditional upon compliance of all code violations/requirements and monies owed to the Village paid prior to issuance of licenses in addition to any other conditions noted.

CLASS B FERMENTED MALT BEVERAGE AND INTOXICATING LIQUOR LICENSES: a motion was made by Daniels, seconded by Myers, to forward the below listed applications for Class B Fermented Malt Beverage and Intoxicating Liquor Licenses with the exception of #6 - Buzdum's Pub & Grill - to Village Board with a positive recommendation. Hoell and Weiss advised they had no objections to the license applications.

1. ALDO'S PIZZA & PUB LLC d/b/a Aldo's Pizza & Pub W156 N11058 Pilgrim Road, Dwayne Ketterer Agent. Includes outside dining area of approximately 30' in front of building to be open until 10PM; an outside extension into parking lot for Classic Car Cruise Night on Tuesdays from 5PM - 9PM 07/01/16 to 09/30/16 and 05/25/17 - 06/30/17.
2. BARLEY POP BREW HAUS LLC d/b/a Barley Pop Pub & Restaurant N116 W16137 Main Street, Deborah Reinbold Agent. Includes Brew Haus & fenced outside extension on north side of building to be open until 10PM, and outside extension July 4th from east end of building to west end, to sidewalk, during July 4th parade from noon - 10PM.
3. BLACKSTONE CREEK GOLF CLUB LTD d/b/a Blackstone Creek Golf Club, N112 W17300 Mequon Rd., Troy Schmidt Agent. Includes golf course property of 187 acres.
4. BUBS ON MAIN LLC d/b/a Bubs Irish Pub, N116 W16218 Main St., Scott Pecor Agent.
5. BLAZIN WINGS INC d/b/a Buffalo Wild Wings, N96 W17990 County Line Rd., Jillian Cabanatuan Agent. Includes attached patio with hours restricted between 10PM - 8AM.
6. MAPLE ROAD LLC d/b/a Buzdum's Pub & Grill, W188 N10515 Maple Rd., Radomir Buzdum Agent. Includes outdoor patio & bleacher area until 9PM.
7. ERJ DINING III LLC d/b/a Chili's Grill & Bar, N96 W18640 County Line Rd., Paul Thompson Agent.
8. EASTERN KETTLE MORAIN MOOSE LODGE #1238 d/b/a EKM Moose Lodge #1238, W198 N10217 Appleton Ave., Dan Frailing Agent. Includes outside pavilion 22'x20', & open area for Lodge picnics including buildings to be open until 10PM.
9. FLORIAN PARK INC d/b/a Florian Park Conference & Event Center, N111 W18611 Mequon Rd., Ryan Rahl Agent. Includes outside premise Willow Path, Willow Gardens, Willow Point on south end of Willow Pond to be open until 10PM & outdoor designated smoking area to north of property.
10. JK GAM LLC d/b/a Gamroth's Kuhburg Junction, W140 N10385 Fond du Lac Ave., Jon Gamroth Agent.
11. GERMANTOWN AMERICAN LEGION POST #1 Inc. d/b/a Germantown American Legion Post #1, N120 W15932 Freistadt Rd., James Heimann Agent.
12. NORTHRIDGE AUTOMOTIVE ENTERPRISES INC d/b/a Ivey's at Main, W157 N11618 Fond du Lac Ave., David Iverson Agent. Includes outside patio in front of building until 10PM.
13. LA CHIMENEA LLC d/b/a La Chimenea, N112 W15251 Mequon Rd., Ricardo Jimenez Agent. Includes 1100 sq. ft. outside patio open until 10PM.
14. LONE STAR LLC d/b/a Lone Star, W204 N11912 Goldendale Rd., Karen Pritzlaff Agent. Includes horseshoe courts, path, outside fenced area to be open until 10PM, & outside front porch area.

15. METRO CIGARS LLC d/b/a Metro Cigars LLC, W182 N9606 Appleton Ave. #104, Jennifer Groh Agent.
16. NARDO'S INC d/b/a Nardo's Passport Inn, W204 N11498 Goldendale Rd., Christopher Mastronardo Agent. Includes 8'x55' outside area to be open until 10PM.
17. G-TOWN PUB LLC d/b/a The Public House, W207 N10466 Appleton Ave., Craig Braidigan Agent.
18. ROBIN L. BIRD LLC d/b/a Sports Corner Bar & Grill, W187 N12793 Fond du Lac Ave., Robin Bird Agent. Includes outside volleyball courts & smoking room to be open until 10PM.
19. CHRISTINE A BROCKMAN d/b/a Tiny T's, W157 N11638 Fond du Lac Ave., includes fenced outside premise on July 4th.

Motion to approve all of the above with the exception of #6, Buzdum's Pub & Grill, carried unanimously.

CLASS B FERMENTED MALT BEVERAGE AND CLASS C WINE LICENSES: a motion was made by Daniels, seconded by Myers, to forward the below listed applications for Class B Fermented Malt Beverage and Class C Wine Licenses to Village Board with a positive recommendation. Hoell and Weiss advised they had no objections to the license applications.

1. ZHENGREN ZHENG d/b/a China Kitchen, N112 W16560 Mequon Rd.
2. HUNG HAO LLC d/b/a Hung Hao Restaurant, N112 W15800 Mequon Rd., Hung Lu Agent

Motion to approve both of these license applications carried unanimously.

CLASS B FERMENTED MALT BEVERAGE LICENSES: a motion was made by Daniels, seconded by Myers, to forward the application for Class B Fermented Malt Beverage License for:

1. MARKO'S PIZZA OF GERMANTOWN INC. d/b/a Marko's Pizza, W156 N9664 Pilgrim Rd., Mark Caldwell Agent

to Village Board with a positive recommendation. Hoell and Weiss advised they had no objections to the license applications. Motion carried unanimously.

CLASS A FERMENTED MALT BEVERAGE AND INTOXICATING LIQUOR LICENSES: a motion was made by Daniels, seconded by Myers, to forward the below listed applications for Class A Fermented Malt Beverage and Intoxicating Liquor Licenses to Village Board with a positive recommendation. There were no objections to these license applications from Hoell and Weiss.

1. COST PLUS INC. d/b/a Cost Plus World Market, N96 W18970 County Line Road, Michelle Pawkekienicz Agent
2. COLGATE GAS INC. d/b/a County Line BP, N96 W21962 County Line Rd., Didar Singh Agent
3. KWIK TRIP INC. d/b/a Kwik Trip #631, W188 N10963 Maple Rd., Bethany Ohde Agent
4. ULTRA MART FOODS LLC d/b/a Pick n Save, N112 W16200 Mequon Rd., Patricia Chastain Agent
5. SENDIK'S GERMANTOWN LLC d/b/a Sendik's Food Market, N112 W15800 Mequon Rd., Theodore Balistreri Agent
6. WALMART STORES EAST LP, d/b/a Walmart #1515, W190 N9855 Appleton Ave., Duane Van Straten Agent

Motion to approve the above six license applications was carried unanimously.

CLASS A FERMENTED MALT BEVERAGE LICENSES: a motion was made by Daniels, seconded by Myers, to forward the below listed applicants for Class A Fermented Malt Beverage Licenses to Village

Board with a positive recommendation. There were no objections to these license applications from Hoell and Weiss.

1. KWIK TRIP INC d/b/a Kwik Trip #631, W188 N10963 Maple Rd., Bethany Ohde Agent
2. B&B INC. OF MILWAUKEE d/b/a Quick Pick Food Mart, N128 W21760 Holy Hill Rd, Richfield, Asif Vadsaria Agent

Motion to approve both of the above license applications was carried unanimously.

RIFLE SIGHT PURCHASE - POLICE DEPARTMENT: Hoell stated that rifle sights purchased by the department have been found to be defective and will be returned to EoTech for a full refund. He added the department had received their first refund check of \$7967 and would be receiving a second check for about \$4000. Hoell said the department is requesting to purchase 29 Trijicon rifle sights from Kiesler's Police Supply for \$11,942.49. Per the Finance Department, refunds will be placed in account 10-480-489-9600 and expenditures will be taken from account 10-521-570-8100.

A motion was made by Myers, seconded by Daniels, to forward this purchase request to Village Board with a recommendation of approval. Motion carried unanimously.

REPLACEMENT OF POLICE OFFICER: Hoell advised that Officer Timothy Miller was resigning from his position with the Germantown Police Department and had accepted a position as Chief of Police with the Village of Stratford. He added that the current eligibility list can be used to fill this position and requested a recommendation of approval to fill the vacant officer position.

A motion was made by Daniels, seconded by Myers, to recommend approval for the police department to fill the vacancy created by P.O. Miller's resignation. Motion carried unanimously.

FURNITURE PURCHASE - POLICE DEPARTMENT: Hoell advised the department has \$20,000 budgeted for the purchase of new furniture for the roll call room and interview room. He stated that bids were received from JL Business Interiors for \$16,151.10 and BSI Interiors for \$12,112.86. Hoell recommended accepting the bid from BSI Interiors.

A motion was made by Myers, seconded by Daniels, to forward this purchase request to Village Board with a recommendation of approval for the purchase of furniture items for roll call room and interview room from BSI Interiors for \$12,112.86 from account 40-521-570-8410. Motion carried unanimously.

EXPENDITURES - FIRE DEPARTMENT: Weiss stated he wanted to inform the committee of his plan to purchase HCO Monitors with funds from account 10-522-570-8100 which was intended for a tool box and appliance/adaptors. Weiss advised that the need for these monitors is essential for firefighter safety and the cost would be under \$1000.

NEXT MEETING: Next meeting date set for Monday, June 6, 2016 at 5:30 p.m. at the Village Hall Boardroom.

ADJOURNMENT: There being no further business, the meeting was adjourned at 5:59 p.m.

Recorded by,

Julie L. Barth
Secretary

VC

Overtime Report for Police & Fire Departments

2016 Year to date through:

22-May-16

		2016				2015			
Empl #	Employee Name	Total OT Hours Paid	Total Cost of OT Paid	Total OT Hrs to Comp	Time off Hours	Total OT Hours Paid	Total OT Hrs to Comp	ANNUAL Total of OT hours worked	ANNUAL Total OT to Pay
Police Dept									
90	Ball, Brian	32.50	1,922.70	20.50	30.75	24.50	82.50	107.00	1,407.16
92	Bloch, Ryan	72.25	3,842.98	19.25	28.88	145.25	50.25	195.50	7,501.44
141	Borden, Ray	35.25	1,925.71	30.00	45.00	68.50	105.00	173.50	3,636.32
115	Case, Robert	143.50	7,632.77	0.50	0.75	338.50	16.13	354.63	17,481.83
153	Jones, Matthew	78.25	3,061.14	8.00	12.00	0.00	0.00	0.00	0.00
101	Jones, Shawn	33.00	1,755.27	0.00	0.00	311.75	99.75	411.50	16,100.33
88	Laux, Kevin	33.50	1,781.87	15.50	23.25	92.25	145.13	237.38	4,764.25
142	Marten, Shawn	154.25	8,204.56	6.75	10.13	87.75	156.38	244.13	4,531.85
102	Mikulec, Dan	38.00	1,633.05	16.25	24.38	148.50	164.63	313.13	7,023.31
152	Miller, Timothy	8.50	452.12	0.00	0.00	159.00	42.75	201.75	8,211.56
86	Moschea, Daniel	4.50	239.36	34.25	51.38	166.00	124.88	290.88	8,573.07
138	Olson, Toni	85.50	4,670.87	41.00	61.50	116.50	125.25	241.75	6,184.40
137	Pesch, Justin	102.00	3,990.24	4.00	6.00	0.00	40.88	40.88	0.00
133	Pierce, Catherin	8.50	332.52	44.75	67.13	0.00	12.75	12.75	0.00
96	Pierzchalski, David	166.00	8,829.54	0.00	0.00	337.75	165.38	503.13	17,443.10
98	Rechlicz, Justin	14.00	744.66	45.50	68.25	162.75	133.88	296.63	8,405.22
136	Rollinger, Kevin	0.00	0.00	34.50	51.75	13.25	32.63	45.88	503.24
121	Schubert, Matthew	47.75	2,539.82	0.50	0.75	104.50	40.13	144.63	5,396.90
89	Schulz, Zachary	3.00	117.36	4.75	7.13	0.00	0.00	0.00	0.00
97	Spreiter, Jared	0.00	0.00	6.00	9.00	0.00	0.00	0.00	0.00
128	Stieve, Jeffrey	17.25	917.53	22.50	33.75	83.50	170.63	254.13	4,312.36
99	von Bereghy, Darren	103.50	4,447.91	14.00	21.00	224.50	106.13	330.63	10,617.73
Total Police			59,041.95					*	132,094.06
Annual Budget			95,000.00						95,000.00

State Aid Reimbursement	3,521.71	5.31.2016	Total year end actual = \$1: \$ 168,155.29
Hunting/Concealed Carry Permit	0.00	5.31.2016	* (difference from report due to personnel changes)
			2015 State Aid Reimb \$25,091.02
			2015 'Hunting/Concealed Carry Permit 0.00

Note: Overtime hours to comp are reflected in regular wages

Fire Dept - Full Time									
*	523 Delain, John	226.50	7,379.37	0.00	0.00	473.25	0	473.25	15,418.49
*	563 Rossman, Craig	246.50	8,030.97	33.50	50.25	381	0	381	12,412.98
*	593 Smith, Steve	58.25	1,897.79	7.50	11.25	99.25	13.125	112.375	3,233.57
Fire Dept Regular Part-time									
		over 60				over 60			
		Hrs over 60	@ Reg Rate	Over 80 hrs	True OT cost	Hrs over 60	@ Reg Rate	Over 80 hrs	True OT Cost
**	625 Goetz, Steve	5.25	92.61	24.00	635.04	229	4,039.56	33.00	9,108.59
**	617 Hass, Thomas	43.25	762.93	34.75	919.49	1122	19,792.08	445.50	32,890.28
**	605 Rodriguez	548.25	9,188.67	406.25	10,213.17	1574	26,380.24	848.75	47,456.74
**	653 Asmondy	461.50	7,734.74	439.88	10,501.49	1144	19,173.44	311.50	29,242.64
					22,269.19				
									118,698.25

Effective July 24, 2013 - POC's over 53 hours/week

	Hrs over 53	2015 Cost	2015 Hours	2015 Cost	Overtime True Costs through:
*** 576 O'Shea, Vicky					01.17.2016
*** 629 McCullough, Jim					
*** 639 Rammel, Brian					
*** 650 Harris, Tim					
*** 653 Asmondy, Robert			14.50	455.45	
*** 658 Silvis, Pete			8.75	354.53	
*** 660 Schodron, Kevin					
*** 669 Zemlicka-Retzlaff, Jake					
*** 673 Neu, Jeremy					
total POC overtime	0.00	0.00	23.25	809.98	
* Full time, hours are over and above the 20 normal overtime hours reflected in their base wages					
** Part time hours worked over and above 60 normal hours in two weeks. Some of which are paid at 1.5 times					

THRU 5.22.16 53472.8

268,461.53

Budget - included within general wages	
Total Fire Dept - OT wages paid through 12.31.15	129,824.98
Total Fire Dept - OT wages paid through 12.31.14	207,125.76

56-16

Annual Fee: \$25.00

**** See back of form for Zoning Limitations****

Ability to keep more than 3 dogs

year
 given

114	Have
115	Spring
115	appetite
	curious
	up
	all
	had
	vacc. give
	in
	2015

of this form giving a required

242238 5060

Date _____

DATE ISSUED:

****See back of form for Zoning Limitations****

Donna Hann

From: Chief Peter Hoell <phoell@germantownpolice.org>
Sent: Thursday, May 12, 2016 6:57 AM
To: Donna Hann
Subject: RE: Animal Fancier

No questions.

Thank you,

*Peter G Hoell
Chief of Police
Germantown Police Department
N112 W16877 Mequon rd.
Germantown, WI. 53022
PH 262-253-7788
Fax 262-253-7787
E-mail phoell@germantownpolice.org*

Excellence In Police Service



From: Donna Hann [mailto:DHann@village.germantown.wi.us]
Sent: Wednesday, May 11, 2016 3:30 PM
To: Chief Peter Hoell <phoell@germantownpolice.org>
Subject: Animal Fancier

Hello Chief Hoell,

Attached you will find a 300' notice letter to the property owners around Paul Smith's application for the Public Safety Meeting.

I also attached is a file showing the names of the five property owners that will receive the letter.

Let me know if you have any questions.

Thanks.

Donna Hann

Deputy Clerk

Village of Germantown

Phone: (262) 250-4740

Fax: (262) 253-8255

MEMORANDUM

VII B.-F.

TO: Public Safety Committee Members

FROM: Donna Hann, Deputy Clerk

DATE: June 2, 2016

SUBJECT: Liquor License Renewal Applications

Please review the eleven renewals listed on the agenda prior to the meeting. Please state in the motion to approve that all applicants will be subject to compliance of all code violations and that all monies owed to the Village are paid. The license applications will be on the June 15th Village Board agenda for approval.

If you have questions on any of these applications, please call me at 250-4740.

"Class B" Fermented Malt Beverage and Intoxicating Liquor Licenses

1. Gerald Louis Wagner, 20315 Sutter Creek Dr. #127, Brookfield, WI 53045, d/b/a **KJ's Bar and Grill**, N112 W21209 Mequon Road, Germantown, WI, 53022. (Includes outside 20' x 25' deck to be open until 10:00 p.m.)
2. Old Town WI, LLC, Charles B. Hastings, Agent, 644 Hwy. K, Erin, WI, 53027, d/b/a **Old Town Inn**, N116 W15841 Main Street, Germantown, WI, 53022. (includes outdoor deck open until 10:00 p.m.)
3. Riversbend Country Club, Inc., Charles L. Schmit, Agent, N132 W18021 Rockfield Road, Germantown, WI, 53022, d/b/a **Riversbend Golf Club**, N96 W18034 County Line Road, Germantown, WI 53022. (includes a 36' trailer and service on the golf course from a motorized beverage cart).
4. WI Bier Stube LLC, Charles B. Hastings, Agent, 644 Hwy. K, Erin, WI, 53027, d/b/a **Von Rothenburg Bier Stube**, N116 W15863 Main Street, Germantown, WI, 53022. (includes outside fenced beer garden extended to parking lot open until 10:00 p.m.)

"Class B" Winery License

1. Apple Works Winery LLC, Kevin H. Behnke, Agent, W179 N12536 Fond Du Lac Ave., Germantown, WI 53022 d/b/a **Apple Works Winery/Behnke Estates**, W179 N12536 Fond Du Lac Ave., Germantown, WI 53022 (Includes an Outside Premise Extension which includes an outdoor patio area and tent until 9:00 p.m.)

Class "B" Fermented Malt Beverage Licenses

1. PH Hospitality Group, LLC, Richard Tomczek, Agent, 11514 N. Buntrock Avenue, Mequon, WI 53092, d/b/a **Pizza Hut**, N112 W15800 Mequon Road, Germantown WI 53022

"Class A" Fermented Malt Beverage and Intoxicating Liquor Licenses

1. Aldi Inc., Lucy E. Scharrer, Agent, 6152 St. Anthony Road, Allenton, WI, 53002, d/b/a **Aldi #67**, N96 W18838 County Line Road, Germantown, WI, 53022.
2. Walgreen Co., Vickie Matt, Agent, 1411 Deer Trail Court, Hubertus, WI 53033, d/b/a **Walgreens #05427**, W156 N11261 Pilgrim Road, Germantown, WI 53022.
3. Kalim Beg, 2715 W. Country Club Drive, Mequon, WI 53092, d/b/a **KAL Service Willow Creek BP**, W201 N10451 Appleton Avenue, Germantown, WI 53022.

Class "A" Fermented Malt Beverage Licenses

1. Speedway, LLC, Kimberly L. Doran, Agent, N108 W16526 Carriage Ave., Germantown, WI 53022 d/b/a **Speedway #4465**, W178 N9653 Riversbend Lane, Germantown, WI 53022
2. Speedway, LLC, Mary E. Wicklander, Agent, W226 N7256 Woodland Creek Dr., Sussex, WI 53089, d/b/a **Speedway #4495**, W164 N11233 Squire Drive, Germantown, WI 53022

MEMORANDUM

VII 6.

TO: Police Chief Hoell
FROM: Donna Hann, Deputy Clerk
DATE: May 16, 2016
SUBJECT: Amusement Arcade License Renewals

The following have submitted renewal applications for amusement arcade licenses. The applications will be reviewed by the Public Safety Committee on June 6nd and approved by the Village Board on June 20th. ***The number of devices listed for each applicant is what they listed on their application. During your establishment compliance checks, please verify for us this number is correct and let the Clerk know of any discrepancies.*** If you have questions, please call me.

Thanks!

AMUSEMENT ARCADE LICENSES

Barley Pop Brew Haus LLC d/b/a Barley Pop Pub & Restaurant N116 W16137 Main Street	13 devices
Bubs on Main LLC d/b/a Bubs Irish Pub N116 W16218 Main Street	14 devices
Maple Road, LLC d/b/a Buzdum's Pub W188 N10515 Maple Road	10 devices
Eastern Kettle Moraine Moose Lodge d/b/a E.K.M. Moose Lodge #1238 W198 N10217 Appleton Avenue	16 devices
JK GAM, LLC d/b/a Gamroth's Kuhburg Junction W140 N10385 Fond du Lac Avenue	8 devices
Northridge Automotive Enterprises, Inc. d/b/a Ivey's at Main W157 N11618 Fond du Lac Avenue	8 devices
Robin Bird LLC d/b/a Sports Corner Bar & Grill W187 N12793 Fond du Lac Avenue	13 devices

VILLAGE OF GERMANTOWN
N112 W17001 Mequon Road, P.O. Box 337
Germantown, WI 53022-0337
PHONE: (262) 250-4740 FAX: (262) 253-8255

VII H.

OUTSIDE PREMISES EXTENSION
APPLICATION FOR AMENDMENT OF "CLASS B"
FERMENTED MALT BEVERAGE & INTOXICATING LIQUOR LICENSE
Processing Fee: \$25.00

See Policy & Procedure

Name of Licensed Premises: _____

Address: _____

City/State/Zip Code: _____

Current Liquor License Number: _____

Person in Charge of Event: _____

Phone Number: _____

E-Mail Address: _____

Purpose for requesting the outside extension:

Dates of Event: _____

Time of Event (Municipal Code regulations are limited to 10:00 p.m.): _____

Describe area of outside extension (INCLUDE A DETAILED DRAWING OF THE AREA with dimensions):

PLEASE NOTE: Additional permits or approvals may be required by other Village Departments (sign permits, temporary use permits, electrical permits, etc.). You are responsible for obtaining those permits prior to your event. Contact the Community Development Department at 262-250-4735 for further information.

I hereby certify that the answers on this application are complete, true and correct to the best of my knowledge and belief. I agree in the consideration of the granting of this license to comply with the laws of the State of Wisconsin and with all the provisions of the Municipal Code of Ordinances of the Village of Germantown and have read all legal and policy requirements provided to me with this application.

Signature of Owner

Date

VILLAGE OF GERMANTOWN ADMINISTRATIVE USE ONLY:			
Date Clerk's Department mailed out 300' notices (Attach list of property owners that notices were sent to.):			
Police Chief Date Notified: Approved or Denied (Circle One) Date:	Fire Chief Date Notified: Approved or Denied (Circle One) Date:	Public Safety Meeting Date: Approved or Denied (Circle One)	
Village Board Meeting Date: Approved or Denied (Circle One)	License Number	Date Effective	Clerk / Deputy Clerk

OUTSIDE PREMISES EXTENSIONS

POLICY & PROCEDURE

1. Requests for outside premises extensions shall be made in writing to the Village Clerk and shall identify the date, time and description of area to be used. If application is made with the renewal of a "Class B" Fermented Malt Beverage and Intoxicating Liquor License, the outside premises description shall be accurately described and included in the legal description of the licensed premises.
2. A drawing accurately describing the location of the outside premises shall be attached to the application. *Such description shall include the dimensions and access point of the outside premises. **If this is a permanent outside extension, site plan approval is required from the Plan Commission. Contact the Village Planner for an application form and required information.***
3. No alcoholic beverage shall be served or consumed and no amplified sound or outdoor lighting, other than customary safety and security lighting, shall be permitted within an outdoor licensed premises between the hours of 10:00 p.m. and 8:00 a.m.
4. All applications shall be referred to the Police Chief and Fire Chief for review and recommendation.
5. All property owners within 300 feet of the proposed outside premises shall be notified of the pendency of application and to the date, time and location, when the request will be considered by the Public Safety Committee. This shall be done by first class mail, approximately 10 days prior to the scheduled meeting *for original applications only (not required for renewal applications). Amended 5-6-2013*
6. The Public Safety Committee shall review the request, consider the recommendations of the Police and Fire Chiefs and make a recommendation to the Village Board regarding issuance.
7. It is preferred, but not required that access to the outside premises shall be from the interior of the licensed premises. There may be a fire exit in the outside premises, but may not allow for access from the outside.
8. Fencing of the outside premises shall be considered on a case by case basis.
9. **A \$25.00 processing fee will be charged for each application to amend an already approved licensed premises. This fee is charged to defray the cost of review, notification of adjacent property owners, and re-issuance of the license. This fee does NOT apply to outside premises extensions requested at the time of annual renewal of the license.**



VII I

Business of the Public Safety Committee

Germantown, WI

Fire Department

Meeting Date: June/2016

Agenda item: New Business

Item Title: Update of Emergency Medical Services Billing Rate

Submitted By: Gary L. Weiss, Fire Chief 

Summary Explanation: Due to increased costs of EMS Supply and after discussing the issues with our EMS Billing Company I am recommending the following upgrades to our EMS Billing Rates. Listed on the attached page are only the items I am recommending to change.

Attachment: Ordinance____ Resolution____ Other X____

Suggested EMS Billing Resolution

Requested Action:

Approval to move to the entire Board of Trustee's.

RESOLUTION – 16

AMENDMENT TO FEE SCHEDULE FOR AMBULANCE AND EMT SERVICES

WHEREAS, the Village of Germantown having previously set a fee schedule for ambulance and EMT services provided by the Village's Fire Department on August 18, 2014, and

WHEREAS, Chief Weiss of the Germantown Fire Department has reviewed the current listing, and has recommended a change in the amount charged for the below listed items;

- Advanced Airway - \$150.00
- Epinephrine 1:100- \$75.00
- Glucagon Injection- \$350.00
- IV Start Kit- \$75.00
- Narcan- \$75.00
- Pro-Splints- \$75.00
- Mileage ALS/BLS- \$18.00
- Inter-facility Transfer- \$350.00
- Non-Transport 5-10
In a calendar year- \$150.00
- Non-Transport 11-15
In a calendar year- \$250.00
- Non-transport 16 >
In a calendar year- \$450.00

WHEREAS the change was approved at the _____ Village board Meeting, and

NOW THEREFORE BE IT RESOLVED that the Village Board of the Village of Germantown, Wisconsin, do hereby replace the existing fee schedule with the fee schedule attached to this Resolution, which shall be henceforth used and shall constitute the fees for ambulance and EMT services until amended or rescinded by further resolution of the Village Board.

Introduced by Trustee

Adopted: Vote: Ayes; Nays: Absent:

Dean Wolter, Village President

ATTEST:

Barbara K.D. Goeckner, Village Clerk

Village of Germantown
Fire Department Ambulance Charges
Village Board Approved 8/18/14

Transport Fee	Rate	
BLS Base Rate - Resident	525.00	
BLS Base Rate - Non Resident	625.00	
Inter-Facility Transfer	350.00	Approved
ALS 1 Base Rate - Resident	700.00	
ALS 1 Base Rate - Non Resident	800.00	
ALS 2 Base Rate - Resident	750.00	
ALS 2 Base Rate - Non Resident	850.00	
Mileage (per mile from pickup to Hospital)	18.00	Approved
No Transport		
No Transport - 5 - 10 (Non MVA)	150.00	Approved
No Transport 11 - 15 (Non MVA)	250.00	Approved
No Transport 16+ (Non MVA)	450.00	Approved
Special Services		
Extrication	500.00	
Extended Extrication	0.00	
Supply Charges		
Advanced Airways	150.00	Approved
CPAP	125.00	
Defibrillator Supplies	100.00	
EKG Supplies	85.00	
IV Start	75.00	Approved
IO Start	220.00	Approved 9/21/15
OB/Childbirth Supplies	50.00	
Pneumothorax Kit (TEMS)	100.00	
Supplies - BLS	60.00	
Supplies - ALS	75.00	
Pro-Splints	75.00	Approved
Medications		
Albuterol	30.00	
Aspirin per dose	10.00	
Atrovent	25.00	
Dextrose	30.00	
Epinephrine 1:1000	75.00	Approved
Glucagon	350.00	Approved
Oral Glucose per 15G	20.00	
Narcan/Naloxone (per 2mg)	75.00	
Nitroglycerin	25.00	
Normal Saline Flush	35.00	
Normal Saline Flush (IV Administration) per 1000 ml	50.00	
Oxygen	70.00	

Business of the Public Safety Committee
Germantown, WI
Fire Department

VIII Ja

Meeting Date: June, 2016

Agenda item: New Business

Item Title: Updated and Revised Fire Protection Ordinance

Submitted By: Gary L. Weiss, Fire Chief

GW

Summary Explanation: Do to ACT 270 and Changes in fire prevention codes including NFPA 1 our current Fire Prevention Ordinance 5 needs to be updated. Attached is the proposed updated ordinance. This has been reviewed by our Village Attorney and by the DSPS Attorney.

I attached the current Ordinance for you to compare to.

Attachment: Ordinance _____ Resolution _____ Other X _____

Current Ordinance

Proposed Ordinance

Requested Action:

Recommendation to move to the Village Board of adoption.

Current Fire Protection Ordinance

- 5.01 - FIRE DEPARTMENT ORGANIZATION. (Rep. & Recr. Ord. #58-89; Am. Ord. #13-90)
- 5.02 - EMERGENCY MEDICAL SERVICE. (Rep. & Recr. Ord. #58-89)
- 5.03 - FIRE CHIEF, POWERS AND DUTIES. (Am. Ord. #58-89)
- 5.04 - ASSISTANT CHIEFS, POWERS AND DUTIES.
- 5.05 - POLICE POWER OF DEPARTMENT. (Am. Ord. #58-89)
- 5.06 - FIRE INSPECTOR. (Am. Ord. #58-89)
- 5.07 - TRAFFIC LAWS APPLY TO FIRE APPARATUS. (Am. Ord. #58-89)
- 5.08 - TRAFFIC LAWS APPLY TO VOLUNTEERS.
- 5.09 - CODES ADOPTED AND INCORPORATED BY REFERENCE. (Cr. Ord. #44-89; Rep. & Recr. Ord. #8-03)
- 5.10 - AUTOMATIC SPRINKLER SYSTEMS. (Cr. Ord. #44-89)
- 5.11 - BURNING REGULATED. (Cr. Ord. #44-89; Rep. & Recr. Ord. #39-91; Rep. & Recr. Ord. #13-14)
- 5.12 - FLAMMABLE LIQUID STORAGE PERMITS. (Cr. Ord. #33-93)
- 5.13 - FIRE PLAN—DISCLOSURE OF HAZARDOUS MATERIALS AND INFECTIOUS AGENTS;
REIMBURSEMENT FOR CLEANUP OF SPILLS. (Cr. Ord. #28-03)
- 5.14 - RESERVED.
- 5.15 - PENALTY. (Renum. Ord. #44-89)

Scroll to Top



CHAPTER 5 - FIRE PROTECTION[1]

5.01	Fire Department Organization
5.02	Emergency Medical Service
5.03	Fire Chief, Powers and Duties
5.04	Assistant Chiefs, Powers and Duties
5.05	Police Power of Department
5.06	Fire Inspector
5.07	Traffic Laws Apply to Fire Apparatus
5.08	Traffic Laws Apply to Volunteers

5.09	Codes Adopted and Incorporated by Reference
5.10	Automatic Sprinkler Systems
5.11	Burning Regulated
5.12	Flammable Liquid Storage Permits
5.13	Fire Plan—Disclosure of Hazardous Materials and Infectious Agents; Reimbursement for Cleanup of Spills
5.14	Reserved
5.15	Penalty

5.01 - FIRE DEPARTMENT ORGANIZATION. (Rep. & Recr. Ord. #58-89; Am. Ord. #13-90)

(1)

MEMBERSHIP. (Am. Ord. #07-13) The Fire Department of the Village shall be known as the Village of Germantown Fire Department and shall consist of the Fire Chief, Deputy Chiefs, Captains, Lieutenants and as many drivers, firefighters and EMTs as may be provided by Department rules and regulations to provide the necessary services to the community.

(2)

APPOINTMENT, TERMS, DISCIPLINARY ACTIONS. The Police and Fire Commission shall appoint the Fire Chief, who shall hold office during good behavior, subject to suspension or removal by the Commission for cause. The Chief shall appoint subordinate members of the Department, subject to approval by the Police and Fire Commission. Such appointments, promotions, suspensions and removals shall be made as provided in §62.13, Wis. Stats., which section is adopted by reference and made a part hereof.

(3)

REGULATIONS. Members of the Department shall be governed by the rules and regulations adopted by the Fire Chief, resolutions and ordinances of the Village Board and the Wisconsin Statutes.

(4)

INTENT AND PURPOSE. (Cr. Ord. #20-93) The mission of the Germantown Fire Department is to prevent or minimize injury and the loss of life and property when a fire or other emergency occurs; to maintain a professional level of protection providing fire, rescue and hazardous materials services for our community through training and educational programs; to mitigate the consequences of natural and manmade disasters; and to provide prevention and educational programs for all ages as requested by our community.

State law references—Fire department generally, Wis. Stats. §§ 61.65, 62.13.

5.02 - EMERGENCY MEDICAL SERVICE. (Rep. & Recr. Ord. #58-89)

Emergency medical service shall be provided to the Village and the Town of Germantown by the Department under the direction of the Fire Chief.

5.03 - FIRE CHIEF, POWERS AND DUTIES. (Am. Ord. #58-89)

The Fire Chief shall direct the operation of the Department at fires, subject to Department rules and regulations and Village ordinances, issue and enforce such orders as in his judgment may be best calculated for the protection of property and the extinguishing of fires; enforce all ordinances and rules and regulations of the Department; report annually to the Village Board all fires occurring in the Village, the origin thereof, if possible, together with the amounts and value of property destroyed and the amount of insurance, if any; make a full statement of the condition of the Department at the end of each year and make further reports as may be requested by the Village Board.

5.04 - ASSISTANT CHIEFS, POWERS AND DUTIES.

In the absence of the Chief, the senior ranking Assistant Chief shall take command and perform his duties.

5.05 - POLICE POWER OF DEPARTMENT. (Am. Ord. #58-89)

(1)

POLICE AUTHORITY AT FIRES. The Chief and assistant or officers in command at any fire are hereby vested with full and complete police authority at fires. Any officer of the Department may cause the arrest of any person failing to give the right of way to the Fire Department in responding to a fire.

(2)

CONTROL OF FIRES. The Fire Chief may prescribe certain limits in the vicinity of any fire within which no persons except firemen and policemen and those admitted by order of any officer of the Department shall be permitted to come. The Chief may cause the removal of any property whenever it shall become necessary for the preservation of such property from fire, or to prevent the spreading of fire, or to protect the adjoining property, and during the progress of any fire he may order the removal or destruction of any property necessary to prevent the further spread of the fire. He may also cause the removal of all wires or other facilities and the turning off of all electricity or other services where the same impedes the work of the Department during a fire.

(3)

ENTERING PREMISES. Any fireman while acting under the direction of the Fire Chief or other officer in command may enter upon the premises adjacent to or in the vicinity of any building or other property then on fire for the purpose of extinguishing such fire, and no person shall hinder, resist or obstruct any fireman in the discharge of his duty.

(4)

DUTIES OF BYSTANDERS. Every person present at a fire shall be subject to the orders of the Fire Chief or officer in command and may be required to render assistance in fighting the fire or in removing or guarding property. Such officer may cause the arrest of any person refusing to obey such orders.

(5)

INJURY TO EQUIPMENT PROHIBITED. No person shall willfully injure any hose, hydrant or fire apparatus belonging to the Department; and no vehicle or railroad equipment shall be driven over any unprotected hose of the Fire Department when laid down on any street, private driveway, track or other place to be used at any fire or alarm of fire without the consent of the Fire Department official in command.

(6)

FIRE PLAN INSPECTIONS. (Cr. Ord. #28-03) The Chief of the Fire Department, or any subordinate designated by the Chief, may, at all reasonable hours, enter any building or premises within the jurisdiction of the Village of Germantown for the purpose of making any inspection, or investigation which, under the provisions of this Code, he or they may deem necessary to ensure that the owner or operator is in compliance with his or her fire plan. Occupants who are not in compliance shall be subject to citation by the Fire Inspector or designee, and subject to penalties provided under section 5.15. Private dwellings shall not be entered without the consent or permission of an adult occupant.

5.06 - FIRE INSPECTOR. (Am. Ord. #58-89)

(1)

FIRE CHIEF TO BE FIRE INSPECTOR. The Fire Chief shall hold the office of Village Fire Inspector with power to appoint one or more deputy fire inspectors, who shall perform the same duties and have the same powers as the Fire Inspector.

(2)

POWERS AND DUTIES. The Fire Inspector shall make such inspections as may be necessary to ascertain the compliance of the Owners or occupants of private premises with the provisions of this chapter, and he may enter any building or upon any premises at any reasonable hour for the purpose of such inspection. Should he find a fire hazard within the Village, he may serve a notice in writing on the owner of the property giving the owner 48 hours in which to remove the hazard. If the fire hazard is not removed within that time, it shall be deemed a nuisance and the Fire Inspector may have the same removed by the Village and the cost of removal shall be recovered by the Village as a special charge pursuant to §66.60(16), Wis. Stats.

(3)

WRITTEN RECORD OF INSPECTIONS. The Chief shall keep a written record card of each property inspected which shall conform to the requirements of the State Department of Industry, Labor and Human Relations, and shall make the quarterly report of inspections required by the Department.

(4)

CORRECTION OF FIRE HAZARDS. When any inspection by the Fire Chief or his deputies reveals a fire hazard, the Chief or his deputies may serve a notice in writing upon the owner of the property, giving such owner a reasonable time in which to remove the hazard. If the fire hazard is not removed within the time allowed, it shall be deemed a nuisance and the Fire Chief or his deputy may have the same removed by the Village. The cost of such removal shall be recovered in an action by the Village against

the Owner of the property and may also be entered on the tax roll as a special charge against the property pursuant to §66.60(16), Wis. Stats.

(5)

ENTERING ON PREMISES. No person shall deny the Fire Inspector or his deputies free access to any property within the Village at any reasonable time for the purpose of making fire inspections. No person shall hinder or obstruct the Fire Inspector in the performance of his duty or refuse to observe any lawful direction given by him.

(6)

ENFORCEMENT OF FIRE PLAN. (Cr. Ord. #28-03) The Fire Inspector, or any subordinate designated by the Fire Inspector, may, at all reasonable hours, enter any building or premises within the jurisdiction of the Village of Germantown for the purpose of ensuring that the owner or operator is in compliance with the fire plan and hazardous materials and infectious agents disclosure as required by section 5.13.

Occupants who are not in compliance shall be subject to citation by the Fire Inspector or designee, and subject to penalties provided under section 5.15.

5.07 - TRAFFIC LAWS APPLY TO FIRE APPARATUS. (Am. Ord. #58-89)

Except when actually responding to a fire alarm or other emergency call or when on duty at a fire within the Village, the apparatus of the Fire Department shall have no special right of way or privileges of any kind, but shall be subject to the same traffic regulations as other vehicles.

State law reference—Privileges of authorized emergency vehicles, Wis. Stats. § 346.03.

5.08 - TRAFFIC LAWS APPLY TO VOLUNTEERS.

All volunteer firemen, when responding to a fire call with a private vehicle, shall comply with all traffic regulations.

5.09 - CODES ADOPTED AND INCORPORATED BY REFERENCE. (Cr. Ord. #44-89; Rep. & Recr. Ord. #8-03)

In addition to the regulations, standards and procedures set forth in this Code, the following are also adopted, incorporated herein and made a part of this Code by reference, subject to the subsection (2) below:

(1)

All orders, rules and regulations of the Department of Commerce set forth in the Wisconsin Administrative Code, and from time to time amended, are hereby adopted and incorporated herein by reference. The most current legislatively enacted versions will be enforced. This includes but is not limited to the Commercial Building Code, the Fire Prevention Code, the Electrical Code and all administrative codes not listed.

(2)

The Fire Prevention Code (National Fire Prevention Code 1) and all referenced standards are hereby adopted and incorporated herein by reference. The most current available printed version of all NFPA codes and standards shall be enforced.

(3)

The International Building Code and all associated documents are adopted by reference in their most current printed version.

(4)

In the event of conflict or ambiguity between the provisions adopted under this section, and the regulations, standards and procedures set forth elsewhere in this Code, the stricter provision shall apply.

A copy of the above codes are on file in the office of the Fire Chief. (Please note that more stringent Village requirements apply.)

5.10 - AUTOMATIC SPRINKLER SYSTEMS. (Cr. Ord. #44-89)

(1)

PURPOSE. To provide the means for the automatic extinguishment of fire in buildings or parts of buildings which, because of their size, construction or occupancy or lack of suitable protective equipment, constitute a special fire hazard to life or property or an excessive burden upon the fire extinguishing capabilities of the Fire Department.

(2)

DEFINITIONS. For the purpose of this subsection, the following definitions shall apply.

(a)

Approved.

1.

As Applied to Automatic Fire Sprinkler Systems. Approved by the authority charged with the enforcement of this section.

2.

As Applied to Automatic Fire Sprinklers and Devices. Approved by a recognized testing laboratory recognized by NFPA.

(b)

Area. Ground area of buildings or sections of buildings divided by approved fire wall, each section being considered a separate area.

(c)

Automatic Fire Sprinkler Equipment. An integrated system of underground and overhead piping designed in accordance with fire engineering standards. The system includes a suitable water supply such as a gravity tank, fire pump, reservoir or pressure tank and/or connection by underground piping to a municipal water main. The portion of the sprinkler system above ground is a network of specially sized or hydraulically designed piping installed in a building, structure or area, generally overhead, and to which sprinklers are connected in a systematic pattern. The system includes a controlling valve and a

device for actuating an alarm when the system is in operation. The system is usually actuated by heat from a fire and discharges water over the fire area.

(d)

Basement. Any story where less than ½ of the height between floor and ceiling is above the average level of street, sidewalk or finished grade.

(e)

Fire Resistive. That type of construction in which the structure members, including walls, partitions, columns, floor and roof construction, are of noncombustible materials with fire resistant ratings not less than those specified in Wis. Adm. Code ILHR Table 51.03A.

(f)

NFPA. For the purpose of this section, NFPA means the current editions of the National Fire Protection Association Codes and Standards.

(g)

Story. That part of a building comprised between a floor and the floor next above it, or if there be no floor above it, then the space between the floor and the ceiling above it.

(3)

INSTALLATION STANDARDS. Approved automatic fire sprinkler equipment shall be installed in accordance with the current edition of Pamphlet #13, "Standards for the Installation of Sprinkler Systems," and/or the current edition of Pamphlet #13D "Sprinkler Systems—One and Two Family Dwellings," and other applicable standards of NFPA.

(3.1)

PERMIT. (Cr. Ord. #32-93; Rep. & Recr. Ord. #12-99; Rep. & Recr. Ord. #24-99)

(a)

Required. Construction on any building that requires an automatic sprinkling system may not be started prior to submittal and approval of plans in accordance with the following process. Installation Standards must meet the current Edition of NFPA 13, and section 5.10 of the Municipal Code of the Village of Germantown which requires sprinkler installations more stringent than the State of Wisconsin.

(b)

Application. A minimum of 4 sets (additional copies may be requested) of plans and calculations shall be submitted for review and approval to the Village's designated fire safety plan reviewer.

A cover letter shall be required detailing the project work to be done. A copy of the cover letter shall also to be sent to the Fire Chief of the Village of Germantown Fire Department at the time of submittal.

(c)

Fees. An administrative fee shall be charged for each application (job) submitted in an amount to be determined and set by the Village Board from time to time. An invoice will be mailed after the review process. Payment is to be made directly to the Village's designated fire safety plan reviewer, and all plan approvals shall be conditioned upon receipt of such payment.

(d)

Final Site Inspection and Certification. The Village of Germantown Fire Department shall charge and be compensated by the developer or contractor for final site inspection and certification in an amount to be determined and set by the Village Board from time to time. A check is to be made payable to the Germantown Fire Department and sent with the cover letter at the time of application. Upon completion of the inspection and certification, the sprinkler system must be put in service and operational.

(4)

RESERVED. (Repealed)

(5)

BUILDINGS WHERE INSTALLATION REQUIRED. Every building constructed or structurally altered shall have an approved automatic sprinkler system installed and maintained when occupied in whole or in part for the following purposes:

(a)

Buildings Housing Combustible Goods. The manufacture, storage or sale of combustible goods or merchandise in:

1.

Fire Resistive Buildings. If over 6,000 square feet in area, or over 3 stories or 60 feet:

2.

Throughout Every Building. Regardless of number of stories where the floor area is undivided by fire walls and exceeds 5,000 square feet, and where any point within the building is more than 50 feet measured in a straight line, from any exterior and accessible opening of the building.

3.

Throughout Every Building of Nonfire Resistive Construction. Over 5,000 square feet in area, or 2 stories in height regardless of area.

(b)

Public Garages. Fire resistive buildings over 6,000 square feet in area and nonfire resistive buildings over 5,000 square feet in area.

(c)

Basements. Throughout all basements and cellars of buildings having an area of 2,000 square feet or more used for the manufacture, storage or sale of combustible material or merchandise or the housing of automobiles.

(d)

Hotels, Motels. Throughout hotel and motel buildings of nonfire resistive construction.

(e)

Dwellings and Dormitories. (Am. Ord. #20-90) In the basements, cellars, store rooms, work rooms, hallways and stairways of multifamily buildings and dormitories of nonfire resistive construction 2 stories or more in height or over 4,000 square feet in area.

(f)

Theaters and Halls. Throughout buildings occupied or used as places of public assembly having a stage arranged for theatrical, operatic or similar performances, excepting only the auditorium, foyers and lobbies; and throughout all such buildings of nonfire resistive construction if such places of assembly are located above the first floor, whether or not there is a stage.

(g)

Institutional Occupancies. Throughout all hospitals; nursing, convalescent, old age and other institutional buildings; and community-based residential facilities.

(h)

Business Occupancy. Fire resistive buildings over 5,000 square feet or more in area on any one floor or throughout all buildings of nonfire resistive construction if over 2,500 square feet in area or over 2 stories in height regardless of area, including multiple occupancies, such as apartments above mercantile stores or offices. Exits from basements to be approved standard door to grade or stairway.

(i)

Educational Occupancies. Throughout all buildings of nonfire resistive construction. In such buildings of fire resistive construction, throughout basements, work shops, laboratories, stairways and corridors, stage areas of auditoriums, janitor closets, kitchens, cafeterias and throughout all other areas where combustible materials are handled or stored.

(j)

Hazardous Occupancies. Throughout every building which, by reason of its construction or highly combustible occupancy, involves a severe life hazard to its occupants, or, in the judgment of the Fire Chief, constitutes a fire menace.

(6)

EXCEPTIONS. The following classes of buildings shall be exempt from the requirement of automatic sprinkler systems:

(a)

Any portion of a building housing a process or material which would interact with water to create a greater fire hazard than without water, provided an alternate fire suppression system is used.

(b)

One-family and 2-family dwelling units.

(7)

FIRE DEPARTMENT HOSE CONNECTIONS. Every automatic sprinkler system installed in new or existing buildings shall be equipped with at least one Fire Department hose connection at a location approved by the Fire Chief.

(8)

CONNECTIONS.

(a)

Underground water mains, hydrants and valves shall conform to current specifications of the Village.

(b)

The Water Utility will require such tests as may be required by the National Fire Protection Association's standards. Such tests shall be conducted under the supervision of a Utility representative who shall certify acceptance or rejection of the system.

(9)

INTERIM INSTALLATIONS.

(a)

Unless or until such time as a municipal water supply is available to serve a building in which installation of an automatic sprinkler is required, connection of the system to a water supply shall not be required; however, all design characteristics of systems installed under this section shall include provisions for eventual connection to a municipal water supply. In addition, such interim installations shall also include:

1.

One or more Fire Department connections with 2 female couplings with National Standard Threads attached to a header of adequate size in accordance with fire protection engineering standards, but not less than 4 inches, to supply the system.

2.

An automatic fire detection and alarm system of a type approved by the Fire Chief or his designee having jurisdiction.

(b)

All fire sprinkler systems installed under the requirements of this section shall be connected to a municipal water system within 6 months after water mains to serve the building are available for use.

(10)

SECURITY KEY AND VAULT SYSTEM. (Cr. Ord. #8-03)

(a)

Purpose. When access to or within a structure or an area is unduly difficult because of secured openings or where immediate access is necessary for life savings or fire fighting purposes.

(b)

Key Box Required. The Knox Box vault system has been adopted for use by this Fire Department. A Knox Box shall be installed in all existing buildings which have an automatic alarm system which is monitored or has an automatic sprinkler system. The key box shall be a type approved by the Fire Department and shall contain those keys found to be necessary to provide emergency access. Exception: This section does not apply to one-family and 2-family dwellings.

(c)

Location. The Knox Box shall be installed at such location as designated by the Fire Chief or Deputy Fire Inspector.

(d)

Property Owner Responsible. The property owner is responsible to assure that keys maintained within a key box are those of the current type. When a change of locks within the building is necessary, the Fire Department shall be notified with new keys placed in the key box.

(e)

Installation. The Knox Box shall be installed at the owner's or occupant's expense.

State law reference—Automatic sprinkler systems, Wis. Stats. § 101.14(4m).

5.11 - BURNING REGULATED. (Cr. Ord. #44-89; Rep. & Recr. Ord. #39-91; Rep. & Recr. Ord. #13-14)

(1)

PERMIT REQUIRED.

(a)

Except as provided for in sub. (b), no person shall kindle or allowed to be kindled any open fire in the Village without first obtaining a burning permit from the Village Fire Department. Permits can be obtained from the Fire Department in any manner established by Department Policy. The Fire Chief or its designee reserves the right, after inspection, to deny any requested permit if in the judgment of the Chief or designee, hazardous conditions exist. Such permits shall be posted on the premises of the burning site at all times when such burning is taking place. Any permit issued hereunder shall be for a period not to exceed one-month in duration.

(b)

No burning permit shall be required for the following:

1.

Cooking and recreational fires in barbecue pits, grills and outdoor fireplaces, except that such fires must otherwise with the locational and safety requirements of the NFPA 1.

2.

Indoor domestic and commercial incinerators.

3.

Fires authorized by the Fire Chief which are set for the practice and instruction of firefighters.

(c)

Recreational Fire Defined. When used in this section, "recreational fire" shall mean an outdoor fire used for pleasure, religious, ceremonial, cooking, warmth or similar purposes that is contained in an outdoor fireplace or pit which has a maximum width of 3 feet in diameter and a maximum height of 2 feet and which burns materials other than yard waste, rubbish or debris.

(2)

All outdoor burning shall comply with NFPA 1. (Amd. Ord. #15-14)

(3)

RESTRICTIONS AND LIMITATIONS. Notwithstanding anything herein to the contrary, no burning shall be allowed:

(a)

When the wind velocity exceeds 12 miles per hour as indicated by the National Weather Service.

(b)

During periods when the Village President, Village Fire Chief or their Designee, or the Department of Natural Resources has issued a burning ban.

(c)

Before 8:00 a.m. and after 8:00 p.m., except for cooking and recreational fires.

(4)

PROHIBITED BURNING. No person should burn, or attempt to burn, the following:

(a)

Garbage.

(b)

Materials emitting toxic fumes or substances, noxious odors or creating health hazards.

(c)

Flammable liquids or other materials which may create a fire hazard.

(d)

Building materials, waste materials and rubbish resulting from building construction, demolition, or site clearings.

(5)

SIZE LIMITATIONS. Any burning permitted herein shall be limited to a burn pile of not greater than a 5-foot square area.

5.12 - FLAMMABLE LIQUID STORAGE PERMITS. (Cr. Ord. #33-93)

(1)

PERMIT REQUIRED. No service station island may be constructed, no gasoline or diesel pump may be installed, and no flammable liquid storage tank may be installed or removed without first obtaining a flammable liquid storage permit from the Fire Chief.

(2)

APPLICATION. An application for a flammable liquid storage permit shall be made in writing to the Fire Chief upon a form supplied by the Chief and shall be accompanied by the proper fee as set forth in subsection (3) below.

(3)

PERMIT FEES. (Am. Ord. #9-96) The flammable liquid storage fees are as follows:

Gasoline or diesel pump	\$5.00 each
Service station island	\$5.00 each
Flammable liquid storage tank removal	\$50.00/1,000 gal. capacity plus \$6.00/1,000 gal. thereafter, \$50.00 minimum
Flammable liquid storage tank installation	\$50.00/1,000 gal. capacity plus \$6.00/1,000 gal. thereafter, \$50.00 minimum

NOTE: If any work is commenced before a flammable liquid storage permit is obtained, all of the above fees shall be doubled.

(4)

COMMENCEMENT OF WORK. No work under a flammable liquid storage permit shall commence prior to the date and time assigned by the Fire Chief and no work shall proceed in the absence of a Fire Department Inspector.

5.13 - FIRE PLAN—DISCLOSURE OF HAZARDOUS MATERIALS AND INFECTIOUS AGENTS;
REIMBURSEMENT FOR CLEANUP OF SPILLS. (Cr. Ord. #28-03)

(1)

APPLICATION.

(a)

The provisions of this section shall apply to all persons, firms or organizations using, researching, producing or storing hazardous materials and/or infectious agents on and after the date which is 120 days after the effective date of this section.

(b)

All persons, firms or organizations using, researching or producing hazardous materials and/or infectious agents shall notify the Fire Department as prescribed by this section.

(2)

DEFINITIONS.

(a)

Infectious Agent is a bacterial, mycoplasmal, fungal, parasitic or viral agent known to cause illness in humans which is used, researched, produced or stored within or on premises.

(b)

Hazardous Materials are those materials that can cause death or disabling injury from brief exposure; those materials that could cause a lost time injury from exposure; and those materials that could cause temporary disability or injury without permanent effects which are used, researched, produced or stored within or on premises except those household consumer products used at the point of consumption or retail sale, and not used for commercial or experimental purposes. This definition of hazardous materials shall include radioactive materials.

(3)

INFORMATION REQUIRED.

(a)

Any person, firm or organization using, researching, producing and/or storing any hazardous materials shall provide in writing to the Fire Department the following information:

1.

Address, location of where hazardous materials are used, researched, stored or produced;

2.

The floor plan of the premises storing the hazardous material;

3.

The trade name of the hazardous material;

4.

The chemical name and any commonly used synonym for the hazardous material and the chemical name and any commonly used synonym for its major components;

5.

The exact locations on the premises where materials are used, researched, stored and/or produced;

6.

Amounts of hazardous materials on premises per exact location;

7.

The boiling point, vapor pressure, vapor density, solubility in water, specific gravity, percentage volatile by volume, evaporation rate for liquids and appearance and odor of the hazardous material;

8.

The flashpoint and flammable limits of the hazardous substance;

9.

Any permissible exposure level, threshold limit value or other established limit value for exposure to a hazardous material;

10.

The stability of the hazardous substance;

11.

Recommended fire extinguishing media, special firefighting procedures and fire and explosion hazard information for the hazardous material;

12.

Any effect of over exposure to the hazardous material, emergency and first aid procedures and telephone numbers to call in an emergency;

13.

Any condition or material which is incompatible with the hazardous material and must be avoided;

14.

Any personal protective equipment to be worn or used and special precautions to be taken when handling or coming into contact with the hazardous materials;

15.

Procedures for handling or coming into contact with the hazardous materials.

(b)

Any person, firm or organization using, researching, producing and/or storing infectious agent and/or carrier of an infectious agent shall provide in writing to the Fire Department the following:

1.

The name and any commonly used synonym of the infectious agent;

2.

Address/location where infectious agents are used, researched, stored and/or produced;

3.

The floor plan of the premises storing the infectious agents;

4.

The exact locations where infectious agents are used, researched, stored and/or produced;

5.

Amount of infectious agent on premises per exact locations;

6.

Any methods of route of transmission of the infectious agents;

7.

Any symptoms of effect of infection, emergency and first aid procedure and a telephone number to be called in an emergency;

8.

Any personal protective equipment to be worn or used and special precautions to be taken when handling or coming in contact with the infectious agent;

9.

Procedure for handling, clean up and disposal of infectious agents leaked or spilled.

(4)

REIMBURSEMENT FOR CLEANUP OF SPILLS. Any person who possesses or controls a hazardous material or infectious agent which was discharged or who causes the discharge of a hazardous material or infectious agent shall reimburse the Village for actual and necessary expenses incurred by the Village or

its agent to contain, remove or dispose of the hazardous substance or infectious agent or take any other appropriate action which is deemed appropriate under the circumstance.

(5)

RECOVERY OF COSTS.

(a)

Every person, firm or corporation using, storing, handling or transporting flammable or combustible liquids, chemicals, gasses or other hazardous materials shall comply with the requirements of Wis. Adm. Code Ch. COMM 10, as the same is now in force and may hereafter from time to time be amended.

(b)

Every person, firm or corporation using, storing, handling or transporting (whether by rail or on the highways) flammable or combustible liquids, chemicals, gasses or other hazardous materials shall be liable to the Village for the actual cost of labor and materials associated with the use of any specialized extinguishing agent, chemical, neutralizer or similar material or equipment employed to extinguish, confine or clean up any such hazardous material which is involved in any accidental spill or in threat of any fire or accidental spill.

(6)

COMPLIANCE. Any person, firm or organization using, researching, producing and/or storing any hazardous materials or infectious agents without an approved fire plan is in violation of this section and shall be cited by the Fire Inspector or designee. An owner or operator in violation of this section shall have 15 days from the date of the initial citation to submit the required fire plan. An owner or operator who fails to submit the approved fire plan will be cited for daily and continuous violations of this section and be subject to graduated penalties as provided under section 5.15.

5.14 - RESERVED.

5.15 - PENALTY. (Renum. Ord. #44-89)

Any person who shall violate any provision of this chapter or any order, rule or regulation made hereunder shall be subject to a penalty as provided in section 25.04 of this Code.

Proposed Fire Protection Ordinance

- Chapter ____ - FIRE PREVENTION AND PROTECTION

- ARTICLE I. - FIRE PROTECTION AND FIRE PREVENTION

FOOTNOTE(S):

--- (2) ---

Note— These are Village of Germantown Code of Ordinances rules in addition to the requirements in the NFPA, ICC and Wisconsin Administrative Codes as adopted.

____.01 - FIRE DEPARTMENT ORGANIZATION. (Rep. & Recr. Ord. #58-89; Am. Ord. #13-90)

- (1) **MEMBERSHIP.** The Fire Department of the Village shall be known as the Village of Germantown Fire Department and shall consist of the Fire Chief, Deputy Chiefs, Captains, Lieutenants and as many drivers, firefighters and EMTs as may be provided by Department rules and regulations to provide the necessary services to the community.
- (2) **APPOINTMENT, TERMS, DISCIPLINARY ACTIONS.** The Police and Fire Commission shall appoint the Fire Chief, who shall hold office during good behavior, subject to suspension or removal by the Commission for cause. The Chief shall appoint subordinate members of the Department, subject to approval by the Police and Fire Commission. Such appointments, promotions, suspensions and removals shall be made as provided in §62.13, Wis. Stats., which section is adopted by reference and made a part hereof.
- (3) **REGULATIONS.** Members of the Department shall be governed by the rules and regulations adopted by the Fire Chief, resolutions and ordinances of the Village Board and the Wisconsin Statutes.
- (4) **INTENT AND PURPOSE.** (Cr. Ord. #20-93) The mission of the Germantown Fire Department is to prevent or minimize injury and the loss of life and property when a fire or other emergency occurs; to maintain a professional level of protection providing fire, rescue and hazardous materials services for our community through training and educational programs; to mitigate the consequences of natural and manmade disasters; and to provide prevention and educational programs for all ages as requested by our community.

State law references—Fire department generally, Wis. Stats. §§ 61.65, 62.13.

____.02 - EMERGENCY MEDICAL SERVICE. (Rep. & Recr. Ord. #58-89)

Emergency medical service shall be provided to the Village and contracted areas by the Department under the direction of the Fire Chief.

____.03 - FIRE CHIEF, POWERS AND DUTIES. (Am. Ord. #58-89)

The Fire Chief shall direct the operation of the Department at fires, subject to Department rules and regulations and Village ordinances, issue and enforce such orders as in his judgment may be best calculated for the protection of property and the extinguishing of fires; enforce all ordinances and rules and regulations of the Department; report annually to the Village Board all fires occurring in the Village, the origin thereof, if possible, together with the amounts and value of property destroyed and the amount of insurance, if any; make a full statement of the condition of the Department at the end of each year and make further reports as may be requested by the Village Board.

Additional resources. The fire chief or his designee will have the authority to request any additional resources from other jurisdictions under the joint mutual aid or MABAS agreements.

___.04 – DEPUTY CHIEF, POWERS AND DUTIES.

In the absence of the Chief, the senior ranking Deputy Fire Chief shall take command and perform his duties.

___.05 - POLICE POWER OF DEPARTMENT. (Am. Ord. #58-89)

- (1) **POLICE AUTHORITY AT FIRES.** The Chief and Deputy Chief or officers in command at any fire are hereby vested with full and complete police authority at fires. Any officer of the Department may cause the arrest of any person failing to give the right of way to the Fire Department in responding to a fire.
- (2) **CONTROL OF FIRES.** The Fire Chief may prescribe certain limits in the vicinity of any fire within which no persons except firemen and policemen and those admitted by order of any officer of the Department shall be permitted to come. The Chief may cause the removal of any property whenever it shall become necessary for the preservation of such property from fire, or to prevent the spreading of fire, or to protect the adjoining property, and during the progress of any fire he may order the removal or destruction of any property necessary to prevent the further spread of the fire. He may also cause the removal of all wires or other facilities and the turning off of all electricity or other services where the same impedes the work of the Department during a fire.
- (3) **ENTERING PREMISES.** Any firefighter while acting under the direction of the Fire Chief or other officer in command may enter upon the premises adjacent to or in the vicinity of any building or other property then on fire for the purpose of extinguishing such fire, and no person shall hinder, resist or obstruct any fireman in the discharge of his duty.
- (4) **DUTIES OF BYSTANDERS.** Every person present at a fire shall be subject to the orders of the Fire Chief or officer in command and may be required to render assistance in fighting the fire or in removing or guarding property. Such officer may cause the arrest of any person refusing to obey such orders.
- (5) **INJURY TO EQUIPMENT PROHIBITED.** No person shall willfully injure any hose, hydrant or fire apparatus belonging to the Department; and no vehicle or railroad

equipment shall be driven over any unprotected hose of the Fire Department when laid down on any street, private driveway, track or other place to be used at any fire or alarm of fire without the consent of the Fire Department official in command.

- (6) **FIRE PLAN INSPECTIONS.** The Chief of the Fire Department, or any subordinate designated by the Chief, may, at all reasonable hours, enter any building or premises within the jurisdiction of the Village of Germantown for the purpose of making any inspection, or investigation which, under the provisions of this Code, he or they may deem necessary to ensure that the owner or operator is in compliance with his or her fire plan. Occupants who are not in compliance shall be subject to citation by the Fire Inspector or designee, and subject to penalties provided under section __.15. Private dwellings shall not be entered without the consent or permission of an adult occupant.

___.06 - FIRE INSPECTOR.

- (1) **FIRE CHIEF TO BE FIRE INSPECTOR.** The Fire Chief shall hold the office of Village Fire Inspector with power to appoint one or more deputy fire inspectors, who shall perform the same duties and have the same powers as the Fire Inspector.
- (2) **POWERS AND DUTIES.** The Fire Inspector shall make such inspections as may be necessary to ascertain the compliance of the Owners or occupants of private premises with the provisions of this chapter, and he may enter any building or upon any premises at any reasonable hour for the purpose of such inspection. Should he find a fire hazard within the Village, he may serve a notice in writing on the owner of the property giving the owner 48 hours in which to remove the hazard. If the fire hazard is not removed within that time, it shall be deemed a nuisance and the Fire Inspector may have the same removed by the Village and the cost of removal shall be recovered by the Village as a special charge pursuant to §66.60(16), Wis. Stats.

___ - Responsibility.

The responsible party for every new and existing building, structure or premises shall construct, arrange, equip, maintain and operate in accordance with this chapter to provide a reasonable level of life safety, property protection, and public welfare from the actual and potential hazards created by fire, explosion and other hazardous conditions. Compliance with this chapter does not relieve the responsible party from compliance with other ordinances or Wisconsin Statutes and Administrative Rules.

___ - Enforcement and penalty.

- (a) *Enforcement.* The authority having jurisdiction (AHJ) shall be authorized to ascertain and cause to be corrected any condition liable to cause fire or any violation of any law or order relating to the fire hazard or to the prevention of fire.
- (b)

Commented [BCS1]: Need a definition

Notice of violations. Whenever the AHJ determines violations of this chapter, a written or electronic notice shall be issued to confirm such findings.

(c)

Serving notice of violation. Any order or notice of violation issued pursuant to this chapter shall be served upon the owner, operator, occupant, registered agent, or other person responsible for the condition or violation by one of the following means:

(1)

Personal service.

(2)

Mailed to last known address of the owner, operator, or registered agent or other person responsible for the condition or violation. In addition to mailing, the order or notice may also be emailed to last known address of the owner, operator, or registered agent or other person responsible for the condition or violation.

(d)

For unattended or abandoned locations. A copy of such order or notice of violation shall be posted on the premises in a conspicuous place at or near the entrance to such premises, and the order or notice shall be disseminated in accordance with one of the following:

(1)

Mailed to last known address of the owner, operator or registered agent, or other person responsible for the condition or violation. In addition, the order or notice may also be emailed to last known address of the owner, operator or registered agent, or other person responsible for the condition or violation.

(3)

Published in a newspaper of general circulation wherein the property in violation is located.

(e)

Duty to correct. Upon notification of a violation, the responsible party shall have the duty to correct the violation(s) within the time specified by the AHJ.

(f)

Failure to comply. Any person who fails to comply with the provisions of this chapter, fails to carry out an order made pursuant to this chapter, or violates any condition attached to a permit, approval or certificate shall be subject to the penalties established by the Municipal Code.

(g)

Citations. The Fire Chief, or his designee(s), are authorized to issue citations for violations of the provisions of this chapter. The imposition of one penalty for any violation shall not excuse the violation or permit it to continue; and all such persons shall be required to correct or remedy such violations or defects within a reasonable time as determined and set by the AHJ. The application of the above penalty shall not be held to prevent the enforced removal of prohibited conditions.

Each day upon which a provision of this chapter shall be violated shall constitute a separate offense.

(h)

Cost recovery method and process. The fire chief shall report in writing to the finance director the cost(s) for providing special service(s) and materials where authorized under this chapter. The city clerk shall invoice the responsible party. Any fees remaining unpaid as of XXXXXXX of each year shall be placed on the annual tax roll for collection as a special charge together with a reasonable administrative charge per parcel. The city clerk shall spread the same, as a special tax, on the tax roll against the property owner for whom the service was rendered. The amount therein charged to each lot or parcel of land shall be entered by the city clerk in the tax roll as a special tax against the lot or parcel of land, and the same shall be collected in all respects like other taxes upon real estate.

____. - **Codes adopted.**

(a)

Adoption of National Fire Protection Code (NFPA) 1, Fire Code. The provisions of the NFPA 1, Fire Code, the referenced publications of NFPA 1 Chapter 2 and the Annexes, as published on or before the effective date of this chapter, or as they may be amended or renumbered from time to time, are hereby adopted by reference and the rules and regulations contained therein are hereby made a part of this chapter as though they were fully set forth herein.

Note: A copy of National Fire Protection Code (NFPA) 1, Fire Code, is on file in the offices of the fire department. Copies of NFPA 1, Fire Code, may be purchased from the National Fire Protection Association at 11 Tracy Drive, Avon, MA 02322; and may be purchased or accessed free of charge at www.nfpa.org.

(b)

Adoption of International Fire Code (IFC). The provisions of the International Fire Code (IFC), the referenced publications of IFC Chapter 45 and the Appendixes, as published on or before the effective date of this chapter, or as they may be amended or renumbered from time to time, are hereby adopted by reference and the rules and regulations contained therein are hereby made a part of this chapter as though they were fully set forth herein.

(c)

Adoption of International Property Maintenance Code (IPMC). The provisions of the International Property Maintenance Code (IPMC), the referenced publications of IFC Chapter 08 and the Appendixes, as published on or before the effective date of this chapter, or as they may be amended or renumbered from time to time, are hereby adopted by reference and the rules and regulations contained therein are hereby made a part of this chapter as though they were fully set forth herein.

Note: Many of the model codes created by the International Code Council (ICC) and adopted by the city may be viewed free of charge on the ICC internet site. To access these codes go to <http://www.ecodes.biz/> and click on "Free Codes." Online

viewers should determine whether the version available on the Internet is the version adopted above.

Note: A copy of the International Codes (ICC) adopted is on file in the offices of the fire department. Copies of the International Codes may be purchased from the International Code Council, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795, (708) 799-2300, website www.iccsafe.org.

(d)

Adoption of Wisconsin Department of Safety and Professional Services Codes. The provisions of Wisconsin Administrative Codes, published on or before the effective date of this chapter, or as they may be amended or renumbered from time to time, are hereby adopted by reference and the rules and regulations contained therein are hereby made a part of this chapter as though they were fully set forth herein. The following Wisconsin Administrative Codes in effect on the date of adoption of this chapter, or as they may be amended or renumbered from time to time, are adopted by reference, enforced and incorporated into this chapter as if fully set forth herein:

<u>SPS 303</u>	<u>Petition for variance procedures</u>
<u>SPS 305</u>	<u>Licenses, certification and registration</u>
<u>SPS 307</u>	<u>Explosive materials and fireworks manufacturing</u>
<u>SPS 308</u>	<u>Mines, pits and quarries</u>
<u>SPS 314</u>	<u>Fire prevention</u>
<u>SPS 316</u>	<u>Electrical</u>
<u>SPS 318</u>	<u>Elevator code</u>
<u>SPS 320-325</u>	<u>Uniform Dwelling Code</u>
<u>SPS 326</u>	<u>Manufactured home communities</u>
<u>SPS 328</u>	<u>Smoke detectors</u>
<u>SPS 330</u>	<u>Fire department safety and health standards</u>
<u>SPS 332</u>	<u>Public employee safety and health</u>
<u>SPS 333</u>	<u>Passenger ropeways</u>
<u>SPS 334</u>	<u>Amusement rides and attractions</u>
<u>SPS 335</u>	<u>Infectious agents</u>
<u>SPS 340</u>	<u>Gas systems</u>
<u>SPS 341</u>	<u>Boilers and pressure vessels</u>
<u>SPS 343</u>	<u>Anhydrous ammonia</u>
<u>SPS 345</u>	<u>Mechanical refrigeration</u>
<u>SPS 361-366</u>	<u>Wisconsin Commercial Building Code</u>
<u>SPS 370</u>	<u>Historic buildings</u>
<u>SPS 371</u>	<u>Solar energy systems</u>
<u>SPS 375-379</u>	<u>Existing buildings</u>

(e)

Adoption of the Wisconsin Agriculture, Trade and Consumer Protection Codes. The provisions of Wisconsin Administrative Codes, published on or before the effective date of this chapter, or as they may be amended or renumbered from time to time, are hereby adopted by reference and the rules and regulations contained therein are hereby made a part of this chapter as though they were fully set forth herein. The following Wisconsin Administrative Codes in effect on the date of adoption of this chapter, or as they may be amended or renumbered from time to time, are adopted by reference, enforced and incorporated into this chapter as if fully set forth herein:

ATCP 93	Flammable and combustible liquids
ATCP 94	Petroleum products
<u>Note:</u> Copies of the Wisconsin Department of Safety and Professional Services Codes and the Wisconsin Agriculture, Trade and Consumer Protection Codes respectively are available from:	
https://docs.legis.wisconsin.gov/code/toc/sps	
https://docs.legis.wisconsin.gov/code/toc/atcp	

(f)

Where different code provisions conflict, the most restrictive provisions, as determined by the AHJ, shall govern.

(g)

Any fire hazard not herein addressed by this chapter or adopted standards will be addressed on the basis of the current editions of the National Fire Protection Association and the International Code Council, Inc., Standards and Codes.

Structures With Light-frame Truss-type Construction.

(1) Purpose: The purpose of this rule is to require the placement of an identifying symbol on structures constructed with a light-frame truss component in a manner sufficient to warn persons conducting fire control and other emergency operations of the existence of light-frame truss-type construction in the structure.

(2) Definitions.

(a) "Light-frame truss-type construction" means a type of construction whose primary structural elements are formed by a system of repetitive wood or light gauge steel framing members.

(b) "Approved symbol" means a Maltese Cross measuring 8 inches horizontally and 8 inches vertically, of a bright red reflective color, designed in accordance with Figure 1.

(3) Any commercial, industrial, or multi-unit residential structure of three units or more, which uses horizontal or vertical light-frame truss-type construction in any portion shall be marked with an Approved Symbol. Each approved symbol shall include within the center circle one of the following designations:

- (a) Structures with light-frame truss roofs shall be marked with the letter "R".
- (b) Structures with light-frame truss floor systems shall be marked with the letter "F".
- (c) Structures with light-frame truss floor and roof systems shall be marked with the letters "RF."

(4) The Approved Symbol shall be placed within 24 inches to the left of the main entry door and:

- (a) Be permanently attached to the face of the structure on a contrasting background, or
- (b) Be mounted on a contrasting base material which is then permanently attached to the face of the structure.

(5) The distance above the grade, walking surface or the finished floor to the bottom of the Approved Symbol shall be not less than 4 feet (48 in.).

(6) The distance above the grade, walking surface or the finished floor to the top of the Approved Symbol shall be not more than 6 feet (72 in.).


(7) In structures with multiple main entry doors, the Authority Having Jurisdiction is authorized to require that other main entry doors of the structure be marked with an Approved Symbol to carry out the purpose in subsection (1) above, except that Approved Symbols shall be marked on one side of the structure only and spaced not closer than 100 feet or at each end of the structure when such structure is less than 100 feet in length.


(8) The owner of each qualifying new structure required to comply with this section shall mark the structure with the Approved Symbol prior to receiving a certificate of occupancy.

(9) The owner of each qualifying existing structure required to comply with this section shall mark the structure with the Approved Symbol within 180 days of the effective date of this ordinance.

(10) Where the owner of the structure and the Authority Having Jurisdiction disagree as to the use of light-frame truss-type construction within the structure, the owner shall be granted not more than 45 days to provide written verification from a licensed engineer or licensed architect; otherwise, the owner shall comply with the rule.

Figure 1:





- Cost recovery for driving over fire hose.

(a)

No person shall damage in any way any fire hose nor shall anyone drive over any fire hose with any type of vehicle.

(b)

If a fire hose is driven over, the person(s) responsible will be held responsible for all costs incurred to the city for cleaning, testing, drying and if necessary, the repair or replacement cost of the hose in addition to being subject to a penalty.

 - Cost recovery for special services and materials required.

(a)

All costs for special services associated with an incident response including, but not limited to, class A or B foam and private vendor services, shall be recovered in an action by the city against the property owner of record.

(b)

When, in the opinion of the AHJ, a danger exists, the AHJ shall be authorized to order the occupants to vacate, or temporarily close for use or occupancy, a building, the right-of-way, sidewalks, streets, or adjacent buildings or nearby areas. The AHJ shall be authorized to employ the necessary resources to perform the required work in order to mitigate the danger. Costs incurred by the AHJ in the performance of emergency work shall be the responsibility of the property owner or other responsible party creating such danger.

• - Cost recovery for false alarms.

(a)

Building life safety systems or devices. False alarms shall not exceed three per calendar year. Activated alarms during a storm, e.g., lightning strikes, are not included in these restrictions.

(b)

Penalties. Any property owner in violation of this article shall forfeit to the city the fines pursuant to Sec. 25.04 and as follows:

1 st Occurrence-	No Fines
2 nd Occurrence-	No Fines
3 rd Occurrence-	No Fines
4 th Occurrence-	\$50.00
5 th Occurrence-	\$100.00
6 th and Additional Occurrence's-	Minimum of \$250.00

 - Cost recovery for responses to nuisance fires.

Any person, industry, commercial establishment, railroad, apartment house complex or other who shall cause multiple nuisance fires including, but not limited to,

rubbish and grass fires, shall forfeit to the Village the sum of all costs incurred for the response to the reported nuisance fire. Each additional nuisance fire shall constitute a separate penalty.

____. - Cost recovery for incidents involving hazardous materials.

REIMBURSEMENT FOR CLEANUP OF SPILLS. Any person who possesses or controls a hazardous material or infectious agent which was discharged or who causes the discharge of a hazardous material or infectious agent shall reimburse the Village for actual and necessary expenses incurred by the Village or its agent to contain, remove or dispose of the hazardous substance or infectious agent or take any other appropriate action which is deemed appropriate under the circumstance.

RECOVERY OF COSTS.

- (a) Every person, firm or corporation using, storing, handling or transporting flammable or combustible liquids, chemicals, gasses or other hazardous materials shall comply with the requirements of Wis. Adm. Code § COMM 10, as the same is now in force and may hereafter from time to time be amended.
- (b) Every person, firm or corporation using, storing, handling or transporting (whether by rail or on the highways) flammable or combustible liquids, chemicals, gasses or other hazardous materials shall be liable to the Village for the actual cost of labor and materials associated with the use of any specialized extinguishing agent, chemical, neutralizer or similar material or equipment employed to extinguish, confine or clean up any such hazardous material which is involved in any accidental spill or in threat of any fire or accidental spill.

____ - Frequency of fire prevention inspections.

Fire inspections of all public buildings and places of employment, as defined in Wis. Stats. Ch. 101, shall be provided for at least twice per calendar year or more often as ordered by the Fire Chief, provided the interval between each such inspection shall not exceed 12 months.

____ - Burning regulations.

- BURNING REGULATED. (Cr. Ord. #44-89; Rep. & Recr. Ord. #39-91)
- (1) **PERMIT REQUIRED.** Except as provided in subsection (2) below, no person shall kindle or allow to be kindled any open fire in the Village without first obtaining a burning permit from the Village Fire Department.
- (2) **EXCEPTIONS.** No burning permit shall be required for the following:
 - (a) Cooking fires in barbecue pits, grills and outdoor fireplaces.
 - (b) Indoor domestic and commercial incinerators.

- (c) Fires authorized by the Fire Chief which are set for the practice and instruction of firefighters.
- (3) **PERMIT PROVISIONS.** (Am. Ord. #8-03) The permit shall be applied for at the Village Fire Department, Station No. 2, N115 W18751 Edison Drive, between the hours of 8:00 a.m. and 4:30 p.m. Monday through Friday, except holidays. A permit may also be obtained by telephone (262-502-4702) with written approval mailed to the applicant. The Fire Chief reserves the right, after inspection, to deny any requested permit if in the Chief's judgment, hazardous conditions exist. Such permits shall be posted on the premises of the burning site at all times when such burning is taking place.
- (4) **RESTRICTIONS AND LIMITATIONS ON OPEN BURNING.** Except as provided in subsection (2) above, no burning shall be permitted as follows:
 - (a) Before 8:00 a.m. nor after 8:00 p.m.; all open burning shall be extinguished by 8:00 p.m.
 - (b) When the wind velocity exceeds 12 miles per hour, as indicated by SBC Weather Information Service.
 - (c) During periods when either the Village President, the Fire Chief or the Department of Natural Resources has issued a burning ban. (Am. Ord. #23-12)
- (5) **ADDITIONAL REGULATIONS.**
 - (a) All open fires shall be constantly attended by a competent person equipped with either a garden hose or a fire extinguisher available and ready for use.
 - (b) Approved burning shall take place 30 feet or more from any structure, flammable liquid or other materials that constitute a potential fire hazard or any location approved in writing by the Fire Chief.
 - (c) There shall be no open burning of yard wastes in accumulations greater than 5 feet in diameter nor 2½ feet in height.
- (6) **PROHIBITED BURNING.** No person shall attempt to burn any of the following:
 - (a) Garbage.
 - (b) Materials emitting toxic fumes or substances, noxious odors or creating a health hazard.
 - (c) Flammable liquids or other materials which may create a fire hazard.
 - (d) Building materials, waste materials and rubbish resulting from building construction or demolition.

SECURITY KEY AND VAULT SYSTEM.

- (a) *Purpose.* When access to or within a structure or an area is unduly difficult because of secured openings or where immediate access is necessary for life savings or fire fighting purposes.

- (b) *Key Box Required.* The Knox Box vault system has been adopted for use by this Fire Department. A Knox Box shall be installed in all existing buildings which have an automatic alarm system which is monitored or has an automatic sprinkler system. The key box shall be a type approved by the Fire Department and shall contain those keys found to be necessary to provide emergency access. *Exception:* This section does not apply to one-family and 2-family dwellings.
- (c) *Location.* The Knox Box shall be installed at such location as designated by the Fire Chief or Deputy Fire Inspector.
- (d) *Property Owner Responsible.* The property owner is responsible to assure that keys maintained within a key box are those of the current type. When a change of locks within the building is necessary, the Fire Department shall be notified with new keys placed in the key box.
- (e) *Installation.* The Knox Box shall be installed at the owner's or occupant's expense.

State law reference—Automatic sprinkler systems, Wis. Stats. § 101.14(4m).

____ - TRAFFIC LAWS APPLY TO FIRE APPARATUS. (Am. Ord. #58-89)

Except when actually responding to a fire alarm or other emergency incident, the apparatus of the Fire Department shall have no special right of way or privileges of any kind, but shall be subject to the same traffic regulations as other vehicles.

State law reference—Privileges of authorized emergency vehicles, Wis. Stats. § 346.03.

- TRAFFIC LAWS APPLY TO VOLUNTEERS/PAID ON CALL FIREFIGHTERS.

All firefighters, when responding to an emergency call with a private vehicle, shall comply with all traffic regulations.

- (a) Firefighters may display a red light on their personal vehicle that provides 360 degree coverage.
- (b) Audible alerting device (siren) may be utilized by the firefighter in thier personal vehicles.
- (c) Annually on or before January 15 the firefighter shall provide to the Fire Chief proof of insurance covering the vehicle and firefighter in there personal vehicle while responding to an authorized emergency. The firefighter shall notify the Fire Chief of any changes to the insurance coverage. The Fire Chief may require such proof of insurance at any time.
- (d) The firefighter is a certified MPO or has completed an Emergency Vehicle Operators Course (EVOC at the firefighter's expense).
- (e) Probationary firefighters may not use emergency lights in their personnel vehicle.

CODES ADOPTED AND INCORPORATED BY REFERENCE.

In addition to the regulations, standards and procedures set forth in this Code, the following are also adopted, incorporated herein and made a part of this Code by reference, subject to the subsection (2) below:

(1) All orders, rules and regulations of the Department of Commerce set forth in the Wisconsin Administrative Code, and from time to time amended, are hereby adopted and incorporated herein by reference. The most current legislatively enacted versions will be enforced. This includes but is not limited to the Commercial Building Code, the Fire Prevention Code, the Electrical Code and all administrative codes not listed.

(2) The Fire Prevention Code (National Fire Prevention Code 1) and all referenced standards are hereby adopted and incorporated herein by reference. The most current available printed version of all NFPA codes and standards shall be enforced.

(3) The International Building Code and all associated documents are adopted by reference in their most current printed version.

(4) In the event of conflict or ambiguity between the provisions adopted under this section, and the regulations, standards and procedures set forth elsewhere in this Code, the stricter provision shall apply. A copy of the above codes are on file in the office of the Fire Chief. (Please note that more stringent Village requirements apply.)

5.10 - AUTOMATIC SPRINKLER SYSTEMS.

(5) **BUILDINGS WHERE INSTALLATION REQUIRED.** Every building constructed or structurally altered shall have an approved automatic sprinkler system installed and maintained when occupied in whole or in part for the following purposes:

(d) *Hotels, Motels.* Throughout hotel and motel buildings of nonfire resistive construction.

(g) *Institutional Occupancies.* Throughout all hospitals; nursing, convalescent, old age and other institutional buildings; and community-based residential facilities.

(j) *Hazardous Occupancies.* Throughout every building which, by reason of its construction or highly combustible occupancy, involves a severe life hazard to its occupants, or, in the judgment of the Fire Chief, constitutes a fire menace.

(6) EXCEPTIONS. The following classes of buildings shall be exempt from the requirement of automatic sprinkler systems:

- (a) Any portion of a building housing a process or material which would interact with water to create a greater fire hazard than without water, provided an alternate fire suppression system is used.

(7) FIRE DEPARTMENT HOSE CONNECTIONS. Every automatic sprinkler system installed in new or existing buildings shall be equipped with at least one Fire Department hose connection at a location approved by the Fire Chief.

(8) FIRE DEPARTMENT CONNECTION MARKING

A sign listing the Fire Department Connection (FDC) shall be posted one (1) Foot above, in line with or above the FDC just below the roof line.

- 1. Sign side and marking
 - a) White on Red with the white being reflective.
 - b) 10" High x 14" Wide
 - c) Letter size- 1.5" height
 - d) Finishing 4 corner holes / radius corners.

(9) INTERIM INSTALLATIONS.

(a) Unless or until such time as a municipal water supply is available to serve a building in which installation of an automatic sprinkler is required, connection of the system to a water supply shall not be required; however, all design characteristics of systems installed under this section shall include provisions for eventual connection to a municipal water supply. In addition, such interim installations shall also include:

- 1. One or more Fire Department connections with 2 female couplings with National Standard Threads attached to a header of adequate size in accordance with fire protection engineering standards, but not less than 4 inches, to supply the system.
- 2. An automatic fire detection and alarm system of a type approved by the Fire Chief or his designee having jurisdiction.

(b) All fire sprinkler systems installed under the requirements of this section shall be connected to a municipal water system within 6 months after water mains to serve the building are available for use.



VIII K.

Business of the Public Safety Committee

Germantown, WI

Fire Department

Meeting Date: June/2016

Agenda item: New Business

Item Title: Ambulance RE-Mount Bid results and Recommendation

Submitted By: Gary L. Weiss, Fire Chief

Summary Explanation: The GFD went out to bid for two ambulance re-mounts. The attached package explains the process and response and request for bids. After reviewing the Bid we are recommending North Star Emergency Braum NW Emergency Vehicles for a cost of \$269,296.00

Attachment: Ordinance_____ Resolution_____ Other X_____

- ❖ Bid Recommendation
- ❖ Bid Evaluation Matrix
- ❖ Bid GFD16-1

Requested Action:

Approval to move to the entire Board of Trustee's.



Fire Department Memo

From the office of Fire Chief Gary L. Weiss

To: Public safety committee
Date: June 6, 2016
Subject: Ambulance Bid Results

The GFD developed a set of specifications for the re-mount of two (2) ambulances. We sent out Bid packages to five (5) companies that specialized in ambulance remounting, they were;

- ❖ Fosters Coach
- ❖ Everest Emergency Vehicles
- ❖ North Central Emergency Vehicles
- ❖ North Star Braum NW
- ❖ Life Line Ambulance

All Bids were due back by 2pm on May 11, 2016. On 5/9/16, we received a Bid Package from North Star Braum NW. This bid was marked as received and locked in the FD's record room. On Wednesday, May 11, 2016 I received an email from North Central Emergency Vehicles declining to bid due to an overload of work. We received by hand the Bid Package from Everest Emergency Vehicles at 12:10 pm on May 11, 2016

At 2pm on Wednesday, May 11, 2016 with representation from North Star and Everest Emergency Vehicles present Bid # GFD-16-1 was opened.

Both Bids were opened and the final costs read aloud. Listed in the following page is a breakdown of the bid costs. Additionally a copy of the Bid and the Bid Evaluation Matrix is attached.

After reviewing both bids, I am recommending that we purchase Two Type 1 Ambulances Re-Chassis and reconditioned Ambulance (Ambulance 54 and 56) to North Star Emergency Vehicles Braum NW for \$269,296.00

Fire Department Memo



From the office of Fire Chief Gary L. Weiss

BID GFD-16-1 BREAKDOWN

North Star Emergency Vehicles

Ambulance 54-	\$137,730.00
Ambulance 56-	\$135,533.00
TOTAL_	\$273,269.00

DISCOUNTS

Cab Trade-IM-	\$1,000.00
Multiple Vehicle Discount-	\$3,000.00

TOTAL COST – 269,269

This has an engine and drive train warranty of 5 Years/100,000 miles

Remount Warranty of 1 year, 24,000 Miles

Paint Warranty of 5 Years



Fire Department Memo

From the Office of Fire Chief Gary L. Weiss

Bid GFD-16-1 Breakdown:

Everest Emergency Vehicles

Ambulance 54-	\$157,922.00
<u>Ambulance 56-</u>	<u>\$149,835.00</u>
TOTAL-	\$307,757.00

Discounts:

Cab Chassis Trade-in-	Included in cost above
<u>Multiple Unit Discount-</u>	<u>Included in cost above</u>
Discounted Cost Total:	\$00.00

TOTAL COST: Cost –Discount = \$307,757

Option of two new units for \$317,000

This has an Engine and Drive train Warranty of 3 years 36,000 miles

Remount Warranty of 3 years 36,000 miles

Paint Warranty of 3 years 36,000 mile



Germantown Fire Department

Bid Review Matrix

Bid # GFD-16-1

NORTH STAR_BRAUM NW

SECTION 1

Item	Yes	No	Deviation	Comments
Dedicated Facility	X			
15 Year Experience	X			
Number of Completed Ambulances	X			508 Re-Mounts

SECTION 2- AMBULANCE 54

Item	Yes	No	Deviation	Comments
CHASSIS				
OEM Chassis	X		2017 Chassis	2016 not available (GVWR 16,000, Wheel base 193"
Engine	X			3 Year, 36,000 Miles Warranty
Engine Colling system	X			
Transmission				
Exhaust system				
Steering	X			
Shock Absorbers/Stabilizer	X			
Electrical	X			
Instrument Panel and Controls	X			
Cab Exterior	X			

Mirrors	X			
Lights	X			
Cab interior	X			
Air bags	X			
Other-General	X			
Color	X			
CHASSIS MODIFICATIONS				
Exhaust Heat shield	X			
Running Boards	X			
Mud Flaps	X			
Air Horns	X		In Bumper Mount	
Air Suspension	X			
Chassis Flooring	X			
Module to Chassis Mounting	X			
Chassis Trade in	X			\$500.00
MODULAR CONSTRUCTION				
Exterior Compartments	X			
Module Doors	X			
Door Seals	X			
Door hinges	X			
Door Latches	X			
Compartment Door Controls	X		New Gas Type	
Curbside Controls	X			
Compartment Door Skin	X			
Entrance Door Skin	X			
Thresholds	X			
Interior cabinet	X			
Corrosion Reduction/Prevention	X			
Coating/Finishing	X			
Module Finish Prep	X			
Module Primer	X			
Paint Type	X			

Color Scheme	X			
Chassis Color	X			
Compartment Finish	X			
Interior Cabinet Finish	X			
Module Upholstery	X			
Module Flooring	X			
Compartment Lining	X			
Cabinet Lining	X			
Underseal	X			
MODULE EXTERIOR				
Step Bumper	X			
Rub Raids	X			
Finder Rings	X			
Drip Rails	X			
Rocker Guards	X			
Cot Mount	X			
Rear Kick Panel	X			
Fuel Fill(s)	X			
Module windows	X			
Fuel Splash Guards	X			
MODULE EXTERIOR				
Upper Wall Covering	X			
Headliners	X			
Head Pads	X			
Lower Wall Covering	X			
Grab Rails	X			
Access Door Grab Raids	X			
IV Hangers	X			
Cot Mount	X			
Attendant seat	X			
Oxygen System	X			
Suction Pump	X			
Suction Collector	X			
Seat Belts	X			
Climate control	X			New hoses and Valves

External Air intake	X			
Air Return	X			
Exhaust Vent	X			
No Smoking/Seatbelt Signs	X			
Clock	X			
Hanging Hardware	X			
Fire Extinguisher	X			
Glove Box	X			
Interior Audio				
Misc. interior Equipment	X			
ELECTRICAL				
Overload Protection	X			
Voltmeter	X			
Ignition Control	X			
Module Power	X			
Back Up alarm	X			
Driver Console/Map holders	X			
Switches	X			
Door Ajar alarm	X			
Attendant Controls	X			
Action Wall Lighting	X			
Step Lights	X			
Interior Lighting	X			
Basic exterior Lighting	X			
Communications Equip.	X			
Antenna Mounts & Cables	X			
Block Heater	X			
Shore Line Power	X			
Battery Grounds	X			
Battery Mods	X			
12VDS Receptacles	X			

Compartment Lighting	X			
Exterior Door Switches	X			
Exterior Warning Lights	X			
Remove Light bar	X			
Flashers	X			
Curbside	X			
Center	X			
Street side	X			
Scene Lights	X			
Spotlight	X			
Intersection Lights	X			
Grille Lights	X			
Siren	X			
Siren speakers	X			
Sequential Switching System	X			
Flasher controls	X			
Traffic advisor	X			Remove \$ Saving
Inverter	X			
Fluid warmer	X			
Electric Door Locks	X			
Back Up Camera	X			
Supporting Documentation	X			

SECTION 3-AMBULANCE 56

Item	Yes	No	Deviation	Comments
CHASSIS				
OEM Chassis	X			
Engine			2017 Chassis	2016 not available (GVWR 16,000, Wheel base 193"
Engine Colling system	X			
Transmission	X			
Exhaust system	X			
Steering				

Shock Absorbers/Stabilizer	X			
Electrical	X			
Instrument Panel and Controls	X			
Cab Exterior	X			
Mirrors	X			
Lights	X			
Cab Interior	X			
Air bags	X			
Other-General	X			
Color	X			
CHASSIS MODIFICATIONS				
Exhaust Heat shield	X			
Running Boards	X			
Mud Flaps	X			
Air Horns				
Air Suspension	X			
Chassis Flooring	X			
Module to Chassis Mounting	X			
Chassis Trade in	X			\$500.00
MODULAR CONSTRUCTION				
Exterior Compartments	X			
Module Doors	X			
Door Seals	X			
Door hinges	X			
Door Latches	X		New Gas Type	
Compartment Door Controls	X			
Curbside Controls	X			
Compartment Door Skin	X			
Entrance Door Skin	X			
Thresholds	X			
Interior Cabinet	X			

Corrosion Reduction/Prevention	X			
Coating	X			
Module Finish Prep	X			
Module Primer	X			
Paint Type	X			
Color Scheme	X			
Chassis Color	X			
Compartment Finish	X			
Interior Cabinet Finish	X			
Module Upholstery	X			
Module Flooring	X			
Compartment Lining	X			
Cabinet Lining	X			
Underseal	X			
MODULE EXTERIOR				
Step Bumper	X			
Rub Raids	X			
Finder Rings	X			
Drip Rails	X			
Rocker Guards	X			
Cot Mount	X			
Rear Kick Panel	X			
Fuel Fill(s)	X			
Module windows	X			
Fuel Splash Guards	X			
MODULE EXTERIOR				
Upper Wall Covering	X			
Headliners	X			
Head Pads	X			
Lower Wall Covering	X			
Grab Rails	X			
Access Door Grab Raids	X			

IV Hangers	X			
Cot Mount	X			
Attendant seat	X			
Oxygen System	X			
Suction Pump	X			
Suction Collector	X			
Seat Belts	X			
Climate control	X			New Hoses and Valves
External Air intake	X			
Air Return	X			
Exhaust Vent	X			
No Smoking/Seatbelt Signs	X			
Clock	X			
Hanging Hardware	X			
Fire Extinguisher	X			
Glove Box	X			
Interior Audio	X			
Misc. interior Equipment	X			
ELECTRICAL				
Overload Protection	X			
Voltmeter	X			
Ignition Control	X			
Module Power	X			
Back Up alarm	X			
Driver Console/Map holders	X			
Switches	X			
Door Ajar alarm	X			
Attendant Controls	X			
Action Wall Lighting	X			
Step Lights	X			
Interior Lighting	X			
Basic Exterior Lighting	X			

Communications equip.	X			
Antenna Mounts & Cables	X			
Block Heater	X			
Shore Line Power	X			
Battery Grounds	X			
Battery Mods	X			
12VDS Receptacles	X			
Compartment Lighting	X			
Exterior Door Switches	X			
Exterior Warning Light	X			
Remove Light bar	X			
Flashers	X			
Curbside	X			
Center	X			
Street side	X			
Scene Lights	X			
Spotlight	X			
Intersection Lights	X			
Grille Lights	X			
Siren	X			
Siren speakers	X			
Sequential switching System	X			
Flasher controls	X			
Traffic advisor	X			
Inverter	X			
Fluid Warmer	X			
Electric Door Locks	X			
Back Up Camera	X			
Supporting Documentation	X			



Germantown Fire Department

Bid Review Matrix

Bid # GFD-16-1

EVEREST EMERGENCY VEHICLES

SECTION 1

Item	Yes	No	Deviation	Comments
Dedicated Facility	X			
15 Year Experience	X			
Number of Completed Ambulances	X			12 references provided

SECTION 2- AMBULANCE 54

Item	Yes	No	Deviation	Comments
CHASSIS				
OEM Chassis	X		2017 Chassis	2016 not available (GVWR 16,000, Wheel base 193"
Engine	X			3 Year, 36,000 Miles Warranty
Engine Colling system	X			
Transmission				
Exhaust system				
Steering	X			
Shock Absorbers/Stabilizer	X			
Electrical	X			
Instrument Panel and Controls	X			
Cab Exterior	X			

Mirrors	X			
Lights	X			
Cab interior	X			
Air bags	X			
Other-General	X			
Color	X			
CHASSIS MODIFICATIONS				
Exhaust Heat shield	X			
Running Boards	X			
Mud Flaps	X			
Air Horns	X		In Bumper Mount	
Air Suspension	X			
Chassis Flooring	X			
Module to Chassis Mounting	X			
Chassis Trade in	X			\$500.00
MODULAR CONSTRUCTION				
Exterior Compartments	X			
Module Doors	X			
Door Seals	X			
Door hinges	X			
Door Latches	X			
Compartment Door Controls	X		Existing Controls	
Curbside Controls	X			
Compartment Door Skin	X			
Entrance Door Skin	X			
Thresholds	X			
Interior cabinet	X			
Corrosion Reduction/Prevention	X			
Coating/Finishing	X			
Module Finish Prep	X			
Module Primer	X			
Paint Type	X			

Color Scheme	X			
Chassis Color	X			
Compartment Finish	X			
Interior Cabinet Finish	X			
Module Upholstery	X			
Module Flooring	X			
Compartment Lining	X			
Cabinet Lining	X			
Underseal	X			
MODULE EXTERIOR				
Step Bumper	X			
Rub Raids	X			
Finder Rings	X			
Drip Rails	X			
Rocker Guards	X			
Cot Mount	X			
Rear Kick Panel	X			
Fuel Fill(s)	X			
Module windows	X			
Fuel Splash Guards	X			
MODULE EXTERIOR				
Upper Wall Covering	X			
Headliners	X			
Head Pads	X			
Lower Wall Covering	X			
Grab Rails	X			
Access Door Grab Raids	X			
IV Hangers	X			
Cot Mount	X			
Attendant seat	X			
Oxygen System	X			
Suction Pump	X			
Suction Collector	X			
Seat Belts	X			
Climate control	X			

External Air intake	X			
Air Return	X			
Exhaust Vent	X			
No Smoking/Seatbelt Signs	X			
Clock	X			
Hanging Hardware	X			
Fire Extinguisher	X			
Glove Box	X			
Interior Audio				
Misc. interior Equipment	X			
ELECTRICAL				
Overload Protection	X			
Voltmeter	X			
Ignition Control	X			
Module Power	X			
Back Up alarm	X			
Driver Console/Map holders	X			
Switches	X			
Door Ajar alarm	X			
Attendant Controls	X			
Action Wall Lighting	X			
Step Lights	X			
Interior Lighting	X			
Basic exterior Lighting	X			
Communications Equip.	X			
Antenna Mounts & Cables	X			
Block Heater	X			
Shore Line Power	X			
Battery Grounds	X			
Battery Mods	X			
12VDS Receptacles	X			

Compartment Lighting	X			
Exterior Door Switches	X			
Exterior Warning Lights	X			
Remove Light bar	X			
Flashers	X			
Curbside	X			
Center	X			
Street side	X			
Scene Lights	X			
Spotlight	X			
Intersection Lights	X			
Grille Lights	X			
Siren	X			
Siren speakers	X			
Sequential Switching System	X			
Flasher controls	X			
Traffic advisor	X			
Inverter	X			
Fluid warmer	X			
Electric Door Locks	X			
Back Up Camera	X			
Supporting Documentation	X			

SECTION 3-AMBULANCE 56

Item	Yes	No	Deviation	Comments
CHASSIS				
OEM Chassis	X			
Engine			2017 Chassis	2016 not available (GVWR 16,000, Wheel base 193"
Engine Colling system	X			
Transmission	X			
Exhaust system	X			
Steering				

Shock Absorbers/Stabilizer	X			
Electrical	X			
Instrument Panel and Controls	X			
Cab Exterior	X			
Mirrors	X			
Lights	X			
Cab Interior	X			
Air bags	X			
Other-General	X			
Color	X			
CHASSIS MODIFICATIONS				
Exhaust Heat shield	X			
Running Boards	X			
Mud Flaps	X			
Air Horns				
Air Suspension	X			
Chassis Flooring	X			
Module to Chassis Mounting	X			
Chassis Trade in	X			\$4,000
MODULAR CONSTRUCTION				
Exterior Compartments	X			
Module Doors	X			
Door Seals	X			
Door hinges	X			
Door Latches	X			
Compartment Door Controls	X			
Curbside Controls	X			
Compartment Door Skin	X			
Entrance Door Skin	X			
Thresholds	X			
Interior Cabinet	X			

Corrosion Reduction/Prevention	X			
Coating	X			
Module Finish Prep	X			
Module Primer	X			
Paint Type	X			
Color Scheme	X			
Chassis Color	X			
Compartment Finish	X			
Interior Cabinet Finish	X			
Module Upholstery	X			
Module Flooring	X			
Compartment Lining	X			
Cabinet Lining	X			
Underseal	X			
MODULE EXTERIOR				
Step Bumper	X			
Rub Raids	X			
Finder Rings	X			
Drip Rails	X			
Rocker Guards	X			
Cot Mount	X			
Rear Kick Panel	X			
Fuel Fill(s)	X			
Module windows	X			
Fuel Splash Guards	X			
MODULE EXTERIOR				
Upper Wall Covering	X			
Headliners	X			
Head Pads	X			
Lower Wall Covering	X			
Grab Rails	X			
Access Door Grab Raids	X			

IV Hangers	X			
Cot Mount	X			
Attendant seat	X			
Oxygen System	X			
Suction Pump	X			
Suction Collector	X			
Seat Belts	X			
Climate control	X			
External Air intake	X			
Air Return	X			
Exhaust Vent	X			
No Smoking/Seatbelt Signs	X			
Clock	X			
Hanging Hardware	X			
Fire Extinguisher	X			
Glove Box	X			
Interior Audio	X			
Misc. interior Equipment	X			
ELECTRICAL				
Overload Protection	X			
Voltmeter	X			
Ignition Control	X			
Module Power	X			
Back Up alarm	X			
Driver Console/Map holders	X			
Switches	X			
Door Ajar alarm	X			
Attendant Controls	X			
Action Wall Lighting	X			
Step Lights	X			
Interior Lighting	X			
Basic Exterior Lighting	X			

Communications equip.	X			
Antenna Mounts & Cables	X			
Block Heater	X			
Shore Line Power	X			
Battery Grounds	X			
Battery Mods	X			
12VDS Receptacles	X			
Compartment Lighting	X			
Exterior Door Switches	X			
Exterior Warning Light	X			
Remove Light bar	X			
Flashers	X			
Curbside	X			
Center	X			
Street side	X			
Scene Lights	X			
Spotlight	X			
Intersection Lights	X			
Grille Lights	X			
Siren	X			
Siren speakers	X			
Sequential switching System	X			
Flasher controls	X			
Traffic advisor	X			
Inverter	X			
Fluid Warmer	X			
Electric Door Locks	X			
Back Up Camera	X			
Supporting Documentation	X			

Request for Bid Proposals
For
2 Type 1 Ambulance Re-Chassis and Recondition
Two (2) Ambulances
Bid-GFD-16-1



Village of Germantown Fire Department

N115 W18752 Edison Drive

Germantown, WI 53022

Chief Gary L. Weiss

gweiss@germantownfiredept.com

(262) 502-4701

Request for Bid Proposals

For

2 Type 1 Ambulance Re-Chassis and Recondition

Two (2) Ambulances

Bid-GFD-16-1

Ambulance Re-Chassis and Reconditioning

The Germantown Fire Department seeks proposals for the re-chassis and reconditioning of two Ambulances. Any questions shall be directed to Fire Chief Gary L. Weiss via email at gweiss@germantownfiredept.org or by phone at (262) 502-4701. Bids in a sealed envelope marked **"(2) AMBULANCE RE-CHASSIS & RECONDITION BID"** on the envelope shall be delivered to the Village of Germantown Fire Department, N115 W18752 Edison Drive, Germantown Wisconsin 53022, by **2:00 p.m. on May 11, 2016**. The successful bidder agrees to provide the requested item which shall meet or exceed the specifications, or with exceptions, modifications as duly noted and mutually agreed in writing. The Fire Department reserves the right to determine, in its sole discretion, whether any proposal is in the best interest of the Fire Department which may require further information from the bidders. The Fire Department reserves the right to reject any and all bids, and to waive any informalities.

Request for Bid Proposals
For
2 Type 1 Ambulance Re-Chassis and Recondition
Two (2) Ambulances
Bid-GFD-16-1

Table of Contents

Title Page

Table of Contents

Section 1

Introduction
Instructions
Bid Evaluations

Section 2 Remount Requirements

Remount Specifications-Wheeled Coach, 2003 Ford E-450 170# Module

Section 3

Remount Specifications-Wheeled Coach, 2008 International 4300 170" Module

Section 4

General Requirements
Warranty

Section 5

Pricing and Options

SECTION 1



Village of Germantown Fire Department

N115 W18752 Edison Drive

Germantown, WI 53022

Chief Gary L. Weiss

gweiss@germantownfiredept.com

(262) 502-4701

Request for Bid Proposals

For

2 Type 1 Ambulance Re-Chassis and Recondition

Two (2) Ambulances

Bid-GFD-16-1

SECTION 1

INTRODUCTION

- Germantown Fire Department (GFD) has two (2), Wheeled Coach Ambulances. Due to the accumulated mileages and repetitive engine maintenance issues the department needs to re-chassis and partially recondition the existing modular boxes. The department plans to have this work done in sequential order (one after the other).
- The specifications found herein for the project are the minimum for all materials, level of quality and workmanship. The specifications should not prevent the bidder from bidding their standard or to propose alternatives for ambulance re- chassis and module reconditioning if it can be shown to exceed the minimum standard required by this specification. The bidder is encouraged to propose a like equivalent or better alternative for those items in the specifications, which they cannot comply to. Alternative methods and materials in construction and design detailed by the proposer shall not be cause for automatic rejection. However, in instances where exceptions and clarifications to the specifications by the bidder are necessary, detailed information and descriptions (including photos as applicable) is required for consideration.
- The GFD reserves the right to reject any and all proposals received and accept any bid that, in its judgment, best serves the interest of the Department.

INSTRUCTIONS

- Sealed bid proposals in accordance with the conditions, specifications, and instructions contained within the proposal documents will be received no later than **2pm**; Central Standard Time: **May 11, 2016**.
- Bids shall be delivered to:

**Village of Germantown Fire Department
N115 W18752 Edison Drive
Germantown, WI 53022**

- Outside of a sealed envelope is to include name of proposer/bidder and marked:

“(2) TYPE 1 AMBULANCE RE-CHASSIS & RECONDITION BID”

- Proposal bid shall include completed bidder evaluation form, completed bid price form and related materials such as warranty statements.
- A bid bond in the amount of 10% of the bid shall accompany the bid which shall be forfeited to the City if the successful bidder fails or refuses to complete the transaction.

Request for Bid Proposals

For

2 Type 1 Ambulance Re-Chassis and Recondition

Two (2) Ambulances

Bid-GFD-16-1

BID EVALUATIONS

- Bidders will be evaluated on qualifications, price, and completeness of bid proposal following specifications, proposed timetables for completion.

Minimum bidder qualifications:

- Bidder must have a dedicated facility in which all work is to be done.

Braun Northwest, Inc.

Facility address: 150 North Star Drive, Chehalis, WA 98532

- Bidder must have at least fifteen years' experience in the ambulance remounting field and/or experience with at least 100 remounts. Ambulance remount business dates:

August 1986 - Present

- Number of completed ambulance remounts to date: 450 plus

SECTION 2



Village of Germantown Fire Department

N115 W18752 Edison Drive

Germantown, WI 53022

Chief Gary L. Weiss

gweiss@germantownfiredept.com

(262) 502-4701

Remount Specifications
For
Germantown Fire Department
Germantown, WI
Wheeled Coach, 2003 Ford E-450, 170" Module

CHASSIS:

OEM Chassis:

- 2016 Ford F-450, 4x4, Meeting all specifications of this section.
- Ambulance Prep Package
- EPA Special Emergency Vehicle Emissions
- 3 year/36,000 Mile "Bumper to Bumper Warranty"
- Dual Rear Wheels

SPECIFIC RATINGS:

- Drive – 4x4
- G.V.W.R – 16,500 lbs.
- Front Axle - 7,000 lbs.
- Rear Axle - 12,000 lbs.
- Wheel Base – 189"
- Cab to Axle – 108"
- Curb Weight – 11,500 lbs. approximate
- Payload – 3,400 lbs. approximate
- Front Spring Capacity – 7,000 lbs.
- Rear Spring Capacity – 12,000 lbs.
- Rear Differential – 4.10 ratio, limited slip wide track rear axle

POWER TRAIN:

ENGINE:

- 6.7L 4V Power Stroke V8 Turbo Diesel B20
- Diesel Emissions Fluid (DEF) System
- 5 year/100,000 Mile Warranty
- External Oil Cooler
- Factory Diesel Package
- 1,000 Watt engine heater
- Heavy duty dry type air cleaner with flow restriction indicator

ENGINE COOLING:

- Heavy duty, closed-air, free-liquid state type
- Coolant recovery System
- 50/50 solution Permanent type antifreeze to -40 degrees F

TRANSMISSION:

- TorqShift 6-speed Automatic overdrive transmission
- Tow/Haul Mode with integrated Exhaust Brake
- External oil cooler in chassis grille area
- Shift on the fly

EXHAUST SYSTEM:

- System complies with Federal Motor Carrier Safety Regulations, Part 393.83
- Suspend using three (3) Hangers, excluding manifold attachment
- Discharge at the right rear side of module
- Tailpipe shall not terminate within (12) inches of the vertical axis of the fuel filler opening

STEERING:

- Power assisted
- Tilt steering wheel

SHOCK ABSORBERS/STABILIZER BARS:

- Heavy-duty shock absorbers front and rear
- OEM front and rear stabilizer bars

BRAKES:

- Heavy Duty power-assisted; Front and rear disc
- Front 14.53" diameter; rear 15.35" diameter
- Four wheel ABS

TIRES AND WHEELS:

- Seven (7) OEM LT 225-70Rx-19.5G all-season steel belted radials
- Seven (7) Aluminum Wheels
- OEM jack and tire changing tools
- Spare tire and wheel shipped loose

ELECTRICAL:

- Alternators – OEM Dual rated at 357 Amps total
- Batteries – OEM Dual 750 CCA each
- Auto Throttle – OEM installed

INSTRUMENT PANEL AND CONTROLS:

- Gauges Tachometer
- Coolant Temperature Transmission Fluid Temperature Fuel
- Speedometer Indicator lights
- Odometer/Trip Odometer Turbocharger Boost
- Controls – Cruise
- Audio – OEM AM/FM/CD
- Engine Hour Meter

CAB EXTERIOR

- Trim Level -XLT
- Horn -OEM dual electric
- Windows -Tinted safety glass
- Windshield wipers -Two-speed electric, washer and intermittent speed control
- Bumper -Chrome
- Tow hooks -Two (2) front
- Mud flaps -Two (2) front
- Fuel - OEM 40 gallon tank

MIRRORS:

- Two (2) black, below eye level, manually telescoping trailer tow Power, heated glass, upper portion
- Turn indicators and clearance lights on outside edge Lower portion convex

LIGHTS:

- Headlamps -Single beam jewel effect
- Roof clearance light
- Under hood service light

CAB INTERIOR:

- Trim Level -XLT
- Seats -OEM
- Cloth 40/20/40
- Combination lap and shoulder harness Side door armrest
- Flooring - Black vinyl
- Climate control -OEM
- Heavy duty, fresh air, high capacity heater/defroster
- dehumidifying air conditioning system

Airbags:

- Driver and right-front passenger front Front-seat side
- Safety canopy system with roll-fold side curtain airbags

Other:

- Padded sun visors, dash, and door panels
- Molded cloth headliner
- Reduced sound package
- Dome Light, On scene Solutions 10x10 White/Red with Lighthouse switches, mounted in place of factory dome light
- Interior hood release
- Power door locks & windows
- Hidden Unlock Button by license plate
- Adjustable gas and brake pedals

COLORS:

- Exterior -Red (FI)
- Interior -Gray

CHASSIS MODIFICATIONS

EXHAUST HEAT SHIELD:

- Shall be formed from 20 ga. galvanized steel sheets with stamped reinforcements and formed edges. Access openings shall be provided for shock absorber, mounting bolts, etc. Heat shields shall be bolted to chassis frame and extend from back of cab to the frame cross member just behind the rear axle.

RUNNING BOARDS WITH SPLASH GUARDS:

- New running boards fabricated from bright finish 0.125" aluminum diamond plate shall be installed.

RUBBER MUD FLAPS:

- Install new black rubber mud flaps behind rear wheels.

AIR HORNS:

- Install New Grover # I507 Stuttertone direct drive compressor and air horn system, with one cab foot switch.
- Air horns to be located one on each side recessed in the front bumper.

AIR SUSPENSION:

- Add Liquid Spring suspension system with kneeling feature.

CHASSIS FLOORING:

- Removable rubber floor mats shall be provided on top of cab flooring.

MODULE-TO-CHASSIS MOUNTING:

- Module shall be transferred utilizing existing module mounting points with new isolator pads and bolts

CAB-TO-MODULE ATTACHMENT:

- Type III to Type I transition piece

USED CHASSIS:

- Trade In

MODULAR CONSTRUCTION:

EXTERIOR COMPARTMENTS:

- Transfer existing compartment shelves and dividers.

MODULE DOORS:

- Transfer existing doors.

DOOR SEAL:

- Install new door gaskets for all doors.

DOOR HINGES:

- Transfer existing hinges.

DOOR LATCHES:

- Transfer and lubricate all compartment and passage door latches. Adjust for proper operation.

COMPARTMENT DOOR CONTROL:

- Replace door hold open devices with gas shock holders on all compartment door.

CURBSIDE DOOR CONTROL:

- Transfer and lubricate door hold open devices.

REAR DOOR CONTROL:

- Transfer and lubricate door hold open devices.

COMPARTMENT DOOR SKINS:

- Transfer existing compartment door skins.

ENTRANCE DOOR SKINS:

- Transfer passage door skins.

THRESHOLDS:

- Install new stainless steel thresholds at all doors. Install with a polyurethane adhesive.

MODULE INTERIOR CABINETS:

- Transfer all existing cabinets and doors.

CORROSION REDUCTION/PREVENTION:

- Apply corrosive inhibitor to all newly installed screws, bolts, etc.

COATINGS AND FINISHES:

- Module shall be repainted

MODULE FINISH PREPARATION:

- The module shall be sanded and imperfections on aluminum surfaces of module shall be sanded smooth. The entire exterior shall be mechanically etched and washed with wax and grease remover to ensure proper primer and paint adhesion.

MODULE PRIMER:

- Bare metal shall be primed with urethane primer prior to applying the finish coat of acrylic urethane paint.

PAINT TYPE:

- Shall be Sherwin Williams's acrylic urethane.

COLOR SCHEME:

- Base color: Red to match Sikkens FLNA 30006.

CHASSIS COLOR:

- Chassis shall be painted to match the module (Red to match Sikkens FLNA 30006)

COMPARTMENT FINISH:

- Compartment interiors from weather strip in, shall not be repainted, but cleaned.

INTERIOR CABINETRY FINISH:

- All interior cabinetry shall be cleaned.

MODULE UPHOLSTERY:

- Transfer all upholstery with existing covering. (Includes Head pads)

MODULE FLOORING MATERIAL:

- Install new Genome (#TFM2702) Altro Transflor Meta Slip-Retardant Sheet flooring, which provides durability, ease of maintenance, and stain resistance. It shall contain a high concentration of microscopic aluminum oxide particles and colored quartz crystals suspended throughout the thickness with silicon carbide grains in the entire wear surface for slip-retardant performance. It shall have a bacteriostat incorporated to give flooring excellent anti-bacterial activity and an overall thickness of 0.11" nominal. Flooring shall be manufactured for Wear Resistance to meet ASTM C 501, indentation resistance in accordance with ASTM F 1303 and ASTM F 970, Grade 1 standards, shall meet ASTM D 2047 Slip Retardant, ASTM F 970 Static Load, ASTM E648, CMVSS, FMVSS 302, CAN ULC SI 02.2 Fire Data Tests.

COMPARTMENT LINING:

- Transfer existing exterior compartment flooring.

CABINET LINING:

- Transfer existing cabinet lining

AUTOMOTIVE UNDERCOATING SEAL

- The entire chassis underbody (excluding drive shafts, wheels, exhaust system, and lubrication fittings, per manufacturer's specifications) shall be sprayed with undercoating for reduced corrosion and added sound deadening.

MODULE EXTERIOR:

STEP/BUMPER:

- Install new 10" bumper with grip strut flip up center.

RUB RAILS:

- Install new extruded rub rails.

FENDER RINGS:

- Install new extruded aluminum fender Rings

DRIP RAIL:

- Transfer existing drip rails.

ROCK GUARDS:

- Install new aluminum diamond plate rock guards.

REAR KICK PANEL:

- Install new aluminum diamond plate rear kick panel.

FUEL FILL(S):

- Replace fuel fill with one (1) new fuel fill in same location.
- Add DEF fill between cab and module.

MODULE WINDOWS:

- Transfer existing windows adding mirror tint.

FUEL SPLASH GUARD:

- Install stainless steel splashguard below fuel fill.

MODULE INTERIOR:

UPPER WALL COVERING:

- Transfer and clean existing wall covering.

HEADLINER:

- Transfer and clean existing headliner

HEAD PADS/CUSHIONS:

- Transfer head pads with existing upholstery.

LOWER WALL COVERING:

- Transfer and clean existing covering.

GRAB RAIL:

- Transfer existing grab rail.

ACCESS DOOR GRAB RAILS:

- Transfer existing door and wall grab rails.

IV HANGERS:

- Transfer existing IV hangers.

COT MOUNT:

- Transfer existing cot mounts in the same position.

ATTENDANT SEAT:

- Transfer attendant seat with existing upholstery.

OXYGEN SYSTEM:

- Transfer and test existing oxygen system.

SUCTION PUMP:

- Transfer existing suction pump.

SUCTION COLLECTOR:

- Transfer existing system.

SEATBELTS:

- Transfer existing seatbelts.

MODULE CLIMATE CONTROL SYSTEM:

- Transfer air conditioning unit, replacing hoses and clamps. NC unit to be modified as necessary to accept 134 refrigerant. Transfer module heater, replacing hoses and valve.

EXTERNAL AIR INTAKE:

- Transfer existing system.

AIR RETURN:

- Transfer existing system.

EXHAUST VENT:

- Transfer and test exhaust system.

NO SMOKING/FASTEN SEAT BELTS SIGNS:

Install new "No Smoking/Fasten Seat Belts" sign in chassis.

CLOCK:

- Transfer existing clock.

HANGING HARDWARE:

- Transfer existing hanging hardware.

FIRE EXTINGUISHER:

- Transfer fire extinguisher and bracket in upper right front stack cabinet.

GLOVE BUTLERS:

- Transfer existing glove butlers.

INTERIOR AUDIO/VISUAL EQUIPMENT:

- Install a new back up and patient camera. Monitor screen placement to be determined at pre construction meeting.

MISCELLANEOUS INTERIOR EQUIPMENT:

- Transfer the following:
- Item #1 Description: Wall-mounted sphygmomanometer Location: Action Area
- Item #2 Description: Wall-mounted thermometer Location: Upper left front stack, facing aisle
- Item #3 Description: Eye hooks for securing AED Location: Under cabinet aft of CPR seat
- Item #4 Description: Ecolab Quik-Care hand sanitizer bracket Location: Curbside, forward of O2 port

ELECTRICAL:

OVERLOAD PROTECTION DEVICES:

- Electrical component panel and consoles shall be replaced with a hard wired system utilizing relays and circuit breakers.

VOLTMETER/AMMETER:

- Install a new single digital display, located in the driver's console, which simultaneously displays voltage and alternator current when the ignition is on. Display flashes to indicate low voltage.

IGNITION CONTROL:

- All chassis electrical circuits to be controlled by the ignition switch as provided by the OEM chassis manufacturer. The auxiliary chassis related functions shall be powered by a new 100 amp continuous duty solenoid (rear heater/air conditioner, siren, spot light, etc.).

- Chassis electrical circuits will be controlled by ignition switch as provided by OEM chassis manufacturer. Install new 100 amp solenoid for auxiliary chassis related functions.

MODULE POWER:

- Install a new console-mounted switch which activates one (1) 100 amp continuous-duty solenoid located in the power component module.

BACK-UP ALARM:

- Install new back up alarm and momentary switch.

DRIVER'S CONSOLE/MAP BOOK HOLDER

A combination map box/driver's console shall be installed between the seats and made of formed aluminum, with black powder coating. It shall have the following components:

- 17-position switch panel with switch layout listed below
- Emergency Brake Applied warning light (red LED)
- Compartment and passage door open warning light (amber LED)
- EQ2B Siren head
- Traffic controller head
- Combination digital voltmeter/ammeter
- Cup holder assembly comprised of two cup holders and a storage pocket Armrests
- Map holder with six (6) mill finished aluminum dividers.

Switch Layout:

Row 1	Row 2	Row 3
1. Mod Disconnect	4. Light Bar Red	11. Left Scene
2. Emergency Master	5. Light Bar White	12. Right Scene
3. Back-Up Disable	6. Flasher	13. Rear Scene
	7. Blank	14. Blank
	8. Blank	15. Spare
	9. Blank	
	10. Blank	

SWITCHES:

- Shall be lighted rocker type and permanently marked by function. One (1) spare switch shall be provided.

DOOR AJAR WARNING LIGHT:

- Install new warning light system

ATTENDANT CONTROL PANEL:

Install new action area switches.

Panel shall include one (1) row of switches, as follows:

- | | | |
|-------------------|--------------|----------|
| 1. Dome Hi/Off/Lo | 3. Aspirator | 5. Blank |
| 2. Dome Hi/Off/Lo | 4. Vent | 6. Blank |

ACTION WALL AREA LIGHTING:

- Replace action wall light with a LED work light.

STEP LIGHTS:

- Transfer existing step lights, replace with LED lights

MODULE INTERIOR LIGHTING:

- Install seven (7) new Whelen #80COEHCR 8" LED round dome lights
- Replace all other lights with LED's

BASIC EXTERIOR LIGHTING:

- Replace all stop, turn, and back-up lights, clearance lights, and rear lights With New LED lights.

COMMUNICATIONS EQUIPMENT:

- With be taken out and placed back in by the Germantown Fire Department

ANTENNA MOUNTS AND CABLES:

- Transfer existing antenna bases.
- Add one (1) antenna base to module roof.

BLOCK HEATER:

- A block heater, with On/Off switch in 120VAC power box, shall be wired to the 120VAC shore power system and shall be circuit protected.

SHORELINE POWER:

- Install new Kussmaul 20 amp Super Auto-Eject shoreline connection on a stainless steel plate with a green indicator light.

BATTERY GROUNDS:

- In addition to OEM grounds, the following ground circuits shall be added: 4 ga. ground cable from module power component panel to frame, two (2) braided ground straps from the module body to the chassis to reduce RF interference.

BATTERY MODIFICATION:

- Utilize system as provided with chassis.

12VDC RECEPTACLES:

- Transfer existing 12VDC receptacles.

COMPARTMENT LIGHTING:

- Install new LED strip lights in all compartments.

EXTERIOR DOOR SWITCHES:

- Transfer all compartment and passage door switches.

EMERGENCY WARNING SYSTEMS:

- All flash patterns to be determined at preconstruction meeting.

FRONT LIGHTBAR:

- Remove front lightbar and return to customer

FLASHERS:

Install Five (5) new Whelen 900 Series Super-LED flashers with chrome flanges on the Front of the module in a Straight line across the front of module

Curbside:

- #90RR5FCR Super-LED Clear Lens Red flasher
- #90RR5FCR Super-LED Clear Lens Red flasher

Center:

- #90CC5FCR Super-LED Clear Lens Clear flasher

Street Side:

- #90RR5FCR Super-LED Clear Lens Red flasher
- #90RR5FCR Super-LED Clear Lens Red flasher

Replace eight (8) flashers on module sides and rear with Whelen 900 Series #90RR5FCR Super-LED Clear Lens Red flashers with chrome flanges:

- Four (4) flashers on module sides in upper comers
- Two (2) flashers on module rear in upper comers
- Two (2) flashers on module rear at window height

SCENELIGHTS:

- All Scene and rear load light shall be replaced with white LED scene lights
- Replace the four (4) existing scene lights on module sides and replace With Whelen 900 Series Super LED White Scene Lights.
- Curbside scene lights shall be activated by side passage door or ON/OFF switch in driver's console.
- Replace load lights over rear doors with Whelen M-Series LED #M7ZC scene lights with chrome flanges. Rear scene lights shall be activated by ON/OFF switch in driver's console, rear passage doors, or when the vehicle is placed in REVERSE.

SPOTLIGHT:

- Install a New Go Light and mount to the center of cab roof.

INTERSECTION LIGHTS:

- Install two (2) new Whelen 700 Series LED TIR6 #70R02FCR Clear Lens Red/White flashers with chrome housings on cab fenders.
- Install two (2) new Whelen 700 Series #70R02FCR Clear Lens Red/White flashers with chrome flanges above module wheel wells.

GRILLE LIGHTS:

Install Four (4) Whelen 500 Series TIR6 #50R03ZCR Clear Lens Red/White flashers with chrome housings in the grille.

SIREN:

- Transfer existing Siren

SIREN SPEAKERS:

- Install new Federal Signal speakers and brackets in opening in center portion of bumper.

SEQUENTIAL SWITCHING SYSTEM:

- Existing sequential switching shall be transferred.

FLASHER CONTROL:

- Transfer existing unit.

TRAFFIC ADVISOR:

- Install a New Whelen #TAM83 and mount in rear of module above rear doors.

INVERTER:

- Transfer existing 120VAC inverter.

FLUID WARMER:

- Install new dual voltage 120VAC/12VDC warmer with built in thermostat. Location to be determined at preconstruction meeting.

ELECTRIC DOOR LOCKS:

- Utilize electric door locks as they exist.

BACK-UP CAMERA:

- A back-up camera with a video screen in the rear view mirror shall be installed. It shall be an AudioVox LCDM40A rear view mirror monitor and an ACA 500 Camera. Rear camera shall be installed above the rear doors between the flashers. Rear view mirror monitor shall display when vehicle is placed in reverse, and shall have an integrated toggle override switch.

SUPPORTING DOCUMENTATION:

OWNER'S MANUAL:

- Chassis owner information packet.
- Extra set of keys.
- Remount warranty.
- Factory Chassis warranty.
- 1-year/24,000 mile limited electrical warranty.
- Electrical load test.
- Alternator maintenance information.
- Schematics for individual options.
- Warranty and parts list for lightbar, etc.

MISCELLANEOUS EQUIPMENT:

LOOSE EQUIPMENT:

- To be determined at preconstruction meeting.

CUSTOMER-SUPPLIED EQUIPMENT:

- To be determined at preconstruction meeting.

EQUIPMENT TO BE RETURNED:

The following equipment, if not transferred or reused, shall be returned to customer:

- Front light bar with brackets

SECTION 3



Village of Germantown Fire Department

N115 W18752 Edison Drive

Germantown, WI 53022

Chief Gary L. Weiss

gweiss@germantownfiredept.com

(262) 502-4701

**Remount Specifications
For
Germantown Fire Department
Germantown, WI
Wheeled Coach, 2008 International 4300, 170" Module**

CHASSIS:

OEM Chassis:

- 2016 Ford F-450, 4x4, Meeting all specifications of this section.
- Ambulance Prep Package
- EPA Special Emergency Vehicle Emissions
- 3 year/36,000 Mile "Bumper to Bumper Warranty"
- Dual Rear Wheels

Specific Ratings:

- Drive – 4x4
- G.V.W.R – 16,500 lbs.
- Front Axle - 7,000 lbs.
- Rear Axle - 12,000 lbs.
- Wheel Base – 165"
- Cab to Axle – 102"
- Curb Weight – 11,500 lbs. approximate
- Payload – 3,400 lbs. approximate
- Front Spring Capacity – 7,000 lbs.
- Rear Spring Capacity – 12,000 lbs.
- Rear Differential – 4.10 ratio, limited slip wide track rear axle

POWER TRAIN:

Engine

- 6.7L 4V Power Stroke V8 Turbo Diesel B20
- Diesel Emissions Fluid (DEF) System
- 5 year/100,000 Mile Warranty
- External Oil Cooler
- Factory Diesel Package
- 1,000 Watt engine heater
- Heavy duty dry type air cleaner with flow restriction indicator

ENGINE COOLING:

- Heavy duty, closed-air, free-liquid state type
- Coolant recovery System
- 50/50 solution Permanent type antifreeze to -40 degrees F

TRANSMISSION:

- TorqShift 6-speed Automatic overdrive transmission
- Tow/Haul Mode with integrated Exhaust Brake
- External oil cooler in chassis grille area
- Shift on the fly

EXHAUST SYSTEM:

- System complies with Federal Motor Carrier Safety Regulations, Part 393.83
- Suspend using three (3) Hangers, excluding manifold attachment
- Discharge at the right rear side of module
- Tailpipe shall not terminate within (12) inches of the vertical axis of the fuel filler opening

STEERING:

- Power assisted
- Tilt steering wheel

SHOCK ABSORBERS/STABILIZER BARS:

- Heavy-duty shock absorbers front and rear
- OEM front and rear stabilizer bars

BRAKES:

- Heavy Duty power-assisted; Front and rear disc
- Front 14.53" diameter; rear 15.35" diameter
- Four wheel ABS

TIRES AND WHEELS:

- Seven (7) OEM LT 225-70Rx-19.5G all-season steel belted radials
- Seven (7) Aluminum Wheels
- OEM jack and tire changing tools
- Spare tire and wheel shipped loose

ELECTRICAL:

- Alternators – OEM Dual rated at 357 Amps total
- Batteries – OEM Dual 750 CCA each
- Auto Throttle – OEM installed

INSURMENT PANEL AND CONTROLS:

- Gauges Tachometer
- Coolant Temperature Transmission Fluid Temperature Fuel
- Speedometer Indicator lights
- Odometer/Trip Odometer Turbocharger Boost
- Controls – Cruise
- Audio – OEM AM/FM/CD
- Engine Hour Meter

CAB EXTERIOR:

- Trim Level -XLT
- Horn -OEM dual electric
- Windows -Tinted safety glass
- Windshield wipers -Two-speed electric, washer and intermittent speed control
- Bumper -Chrome
- Tow hooks -Two (2) front
- Mud flaps -Two (2) front
- Fuel - OEM 40 gallon tank

MIRRORS:

- Two (2) black, below eye level, manually telescoping trailer tow Power, heated glass, upper portion
- Turn indicators and clearance lights on outside edge Lower portion convex

LIGHTS:

- Headlamps -Single beam jewel effect
- Roof clearance light
- Under hood service light

CAB INTERIOR:

- Trim Level -XLT
- Seats -OEM
- Cloth 40/20/40
- Combination lap and shoulder harness Side door armrest
- Flooring - Black vinyl
- Climate control -OEM
- Heavy duty, fresh air, high capacity heater/defroster
- dehumidifying air conditioning system

AIRBAGS:

- Driver and right-front passenger front Front-seat side
- Safety canopy system with roll-fold side curtain airbags

OTHER:

- Padded sun visors, dash, and door panels
- Molded cloth headliner
- Reduced sound package
- Dome Light, On scene Solutions 10x10 White/Red with Lighthead switches, mounted in place of factory dome light
- Interior hood release
- Power door locks & windows
- Hidden Unlock Button by license plate
- Adjustable gas and brake pedals

COLORS:

- Exterior -Red (FI)
- Interior -Gray

Chassis Modification:

EXHAUST HEAT SHIELD:

- Shall be formed from 20 ga. galvanized steel sheets with stamped reinforcements and formed edges. Access openings shall be provided for shock absorber, mounting bolts, etc. Heat shields shall be bolted to chassis frame and extend from back of cab to the frame cross member just behind the rear axle.

RUNNING BOARDS WITH SPLASH GAURDS:

- New running boards fabricated from bright finish 0.125" aluminum diamond plate shall be installed.

RUBBER MUD FLAPS:

- Install new black rubber mud flaps behind rear wheels.

AIR HORNS:

- Install New Grover # 1507 Stuttertone direct drive compressor and air horn system, with one cab foot switch.
- Air horns to be located one on each side recessed in the front bumper.

AIR SUSPENSION:

- Add Liquid Spring suspension system with kneeling feature.

CHASSIS FLOORING:

- Removable rubber floor mats shall be provided on top of cab flooring.

MODULE-TO-CHASSIS MOUNTING SYSTEM:

- Module shall be transferred utilizing existing module mounting points with new isolator pads and bolts

CAB-TO-MODULE ATTACHMENT:

- Modify module front to accept new chassis. Install a conversion piece and a flexible boot for a pass-thru approximately 16"H x 16"W in size between cab and module.

USED CHASSIS:

- Trade In

MODULAR CONSTRUCTION

EXTERIOR COMPARTMENTS:

- Transfer existing compartment shelves and dividers.

MODULE DOORS:

- Transfer existing doors.

DOOR SEAL:

- Install new door gaskets for all doors.

DOOR HINGES:

- Transfer existing hinges.

DOOR LATCHES:

- Transfer and lubricate all compartment and passage door latches. Adjust for proper operation.

COMPARTMENT DOOR CONTROL:

- Transfer and lubricate door hold open devices.

CURBSIDE DOOR CONTROL:

- Transfer and lubricate door hold open devices.

REAR DOOR CONTROL:

- Transfer and lubricate door hold open devices.

COMPARTMENT DOOR SKINS:

- Transfer existing compartment door skins.

ENTRANCE DOOR SKINS:

- Transfer passage door skins.

THRESHOLDS:

- Install new stainless steel thresholds at all doors. Install with a polyurethane adhesive.

MODULE INTERIOR CABINETS:

- Transfer all existing cabinets and doors.

CORROSION REDUCTION/PREVENTION:

- Apply corrosive inhibitor to all newly installed screws, bolts, etc.

COATINGS AND FINISHES:

- Module shall be repainted

MODULE FINISH PREPARATION:

- The module shall be sanded and imperfections on aluminum surfaces of module shall be sanded smooth. The entire exterior shall be mechanically etched and washed with wax and grease remover to ensure proper primer and paint adhesion.

MODULE PRIMER:

- Bare metal shall be primed with urethane primer prior to applying the finish coat of acrylic urethane paint.

PAINT TYPE:

- Shall be Sherwin Williams's acrylic urethane.

COLOR SCHEME:

- Base color: Red to match Sikkens FLNA 30006.

CHASSIS COLOR:

- Chassis shall be painted to match the module (Red to match Sikkens FLNA 30006)

COMPARTMENT FINISH:

- Compartment interiors from weather strip in, shall not be repainted, but cleaned.

INTERIOR CABINETRY FINISH:

- All interior cabinetry shall be cleaned.

MODULE UPHOLSTERY:

- Transfer all upholstery with existing covering. (Includes Head pads)

MODULE FLOORING MATERIAL:

- Install new Genome (#TFM2702) Altro Transflor Meta Slip-Retardant Sheet flooring, which provides durability, ease of maintenance, and stain resistance. It shall contain a high concentration of microscopic aluminum oxide particles and colored quartz crystals suspended throughout the thickness with silicon carbide grains in the entire wear surface for slip-retardant performance. It shall have a bacteriostat incorporated to give flooring excellent anti-bacterial activity and an overall thickness of 0.11" nominal. Flooring shall be manufactured for Wear Resistance to meet ASTM C 501, indentation resistance in accordance with ASTM F 1303 and ASTM F 970, Grade 1 standards, shall meet ASTM D 2047 Slip Retardant, ASTM F 970 Static Load, ASTM E648, CMVSS, FMVSS 302, CAN ULC SI 02.2 Fire Data Tests.

COMPARTMENT LINING:

- Transfer existing exterior compartment flooring.

CABINET LINING:

- Transfer existing cabinet lining

AUTOMOTIVE UNDERCOATING SEAL

- The entire chassis underbody (excluding drive shafts, wheels, exhaust system, and lubrication fittings, per manufacturer's specifications) shall be sprayed with undercoating for reduced corrosion and added sound deadening.

MODULE EXTERIOR:

STEP/BUMPER:

- Transfer rear step bumper.

RUB RAILS:

- Install new extruded rub rails.

FENDER RINGS:

- Install new extruded aluminum fender Rings

DRIP RAIL:

- Transfer existing drip rails.

ROCK GUARDS:

- Install new aluminum diamond plate rock guards.

REAR KICK PANEL:

- Transfer existing kick panels.

FUEL FILL(S):

- Transfer fuel fill(s) as they exist.
- Add DEF fill between cab and module.

MODULE WINDOWS:

- Transfer existing windows adding mirror tint.

FUEL SPLASH GUARD:

- Install stainless steel splashguard below fuel fill.

WHEEL WELL SKIRTINGS:

Remove diamond plate wheel well skirting's over wheel wells.

RETRACTABLE STEP:

- Remove DO NOT REINSTALL.

MODULE INTERIOR:

UPPER WALL COVERING:

- Transfer and clean existing wall covering.

HEADLINER:

- Install new headliner.

HEAD PADS/CUSHIONS:

- Transfer head pads with existing upholstery.

LOWER WALL COVERING:

- Transfer and clean existing covering.

GRAB RAIL:

- Transfer existing grab rail.

ACCESS DOOR GRAB RAILS:

- Transfer existing door and wall grab rails.

IV HANGERS:

- Transfer existing N hangers.

COT MOUNT:

- Transfer existing cot mounts in the same position.

ATTENDANT SEAT:

- Transfer attendant seat with existing upholstery.

OXYGEN SYSTEM:

- Transfer and test existing oxygen system.

SUCTION PUMP:

- Transfer existing suction pump.

SUCTION COLLECTOR:

- Transfer existing system.

SEATBELTS:

- Transfer existing seatbelts.

MODULE CLIMATE CONTROL SYSTEM:

- Transfer air conditioning unit, replacing hoses and clamps. NC unit to be modified as necessary to accept 134 refrigerant. Transfer module heater, replacing hoses and valve.

EXTERNAL AIR INTAKE:

- Transfer existing system.

AIR RETURN:

- Transfer existing system.

EXHAUST VENT:

- Transfer and test exhaust system.

NO SMOKING/FASTEN SEAT BELTS SIGNS:

Install new "No Smoking/Fasten Seat Belts" sign in chassis.

CLOCK:

- Transfer existing clock.

HANGING HARDWARE:

- Transfer existing hanging hardware.

FIRE EXTINGUISHER:

- Transfer fire extinguisher and bracket in upper right front stack cabinet.

GLOVE BUTLERS:

- Transfer existing glove butlers.

MEDICATION SAFE:

- Transfer existing medication safe.

INTERIOR AUDIO/VISUAL EQUIPMENT:

- Transfer and rewire existing interior camera over rear passage doors. Layout/recording/display to be determined at preconstruction meeting.

MISCELLANEOUS INTERIOR EQUIPMENT:

- Transfer the following:
- Item #1 Description: Wall-mounted sphygmomanometer Location: Action Area
- Item #2 Description: Wall-mounted thermometer Location: Upper left front stack, facing aisle
- Item #3 Description: Eye hooks for securing AED Location: Under cabinet aft of CPR seat
- Item #4 Description: Ecolab Quik-Care hand sanitizer bracket Location: Curbside, forward of 02 port

ELECTRICAL:

OVERLOAD PROTECTION DEVICES:

- Electrical component panel and consoles shall be replaced with a hard wired system utilizing relays and circuit breakers.

VOLTMETER/AMMETER:

- Install a new single digital display, located in the driver's console, which simultaneously displays voltage and alternator current when the ignition is on. Display flashes to indicate low voltage.

IGNITION CONTROL:

- All chassis electrical circuits to be controlled by the ignition switch as provided by the OEM chassis manufacturer. The auxiliary chassis related functions shall be powered by a new 100 amp continuous duty solenoid (rear heater/air conditioner, siren, spot light, etc.).

MODULE POWER:

- Install a new console-mounted switch which activates one (1) 100 amp continuous-duty solenoid located in the power component module.

BACK-UP ALARM:

- Install new back up alarm and momentary switch.

DRIVER'S CONSOLE/MAP BOOK HOLDER

A combination map box/driver's console shall be installed between the seats and made of formed aluminum, with black powder coating. It shall have the following components:

- 17-position switch panel with switch layout listed below
- Emergency Brake Applied warning light (red LED)
- Compartment and passage door open warning light (amber LED)
- EQ2B Siren head
- Traffic controller head
- Combination digital voltmeter/ammeter
- Cup holder assembly comprised of two cup holders and a storage pocket Armrests
- Map holder with six (6) mill finished aluminum dividers.

Switch Layout:

Row 1	Row 2	Row 3
1. Mod Disconnect	4. Light Bar Red	11. Left Scene
2. Emergency Master	5. Light Bar White	12. Right Scene
3. Back-Up Disable	6. Flasher	13. Rear Scene
	7. Blank	14. Blank
	8. Blank	15. Spare
	9. Blank	
	10. Blank	

Transfer existing HAVIS MDT mount onto new console.

SWITCHES:

- Shall be lighted rocker type and permanently marked by function. One (1) spare switch shall be provided.

DOOR AJAR WARNING LIGHT:

- Transfer existing system.

ATTENDANT CONTROL PANEL:

Install new action area switches.

Panel shall include one (1) row of switches, as follows:

- | | | |
|-------------------|--------------|----------|
| 1. Dome Hi/Off/Lo | 3. Aspirator | 5. Blank |
| 2. Dome Hi/Off/Lo | 4. Vent | 6. Blank |

ACTION WALL AREA LIGHTING:

- Replace action all light with a LED work light.

STEP LIGHTS:

- Transfer existing step lights, replace with LED lights

MODULE INTERIOR LIGHTING:

- Install seven (7) new Whelen #80COEHCR 8" LED round dome lights

BASIC EXTERIOR LIGHTING:

Transfer and clean lenses of all stop, turn, and back-up lights, clearance lights, and rear lights, replacing any burned out halogen bulbs or broken lights

Replace third brake light over rear passage doors with one (1) new Whelen 700 series #70R02FCR Clear Lens Red lighthouse with chrome flange.

COMMUNICATIONS EQUIPMENT:

- With be taken out and placed back in by the Germantown Fire Department

ANTENNA MOUNTS AND CABLES:

- Transfer existing antenna bases.

BLOCK HEATER:

- A block heater, with On/Off switch in 120VAC power box, shall be wired to the 120VAC shore power system and shall be circuit protected.

SHORELINE POWER:

- Install new Kusmaul 20 amp Super Auto-Eject shoreline connection on a stainless steel plate with a green indicator light.

BATTERY GROUNDS:

- In addition to OEM grounds, the following ground circuits shall be added: 4 ga. ground cable from module power component panel to frame, two (2) braided ground straps from the module body to the chassis to reduce RF interference.

BATTERY MODIFICATION:

- Utilize system as provided with chassis.

12VDC RECEPTACLES:

- Transfer existing 12VDC receptacles.

COMPARTMENT LIGHTING:

- Install new LED strip lights in all compartments.

EXTERIOR DOOR SWITCHES:

- Transfer all compartment and passage door switches.

EMERGENCY WARNING SYSTEMS:

- All flash patterns to be determined at preconstruction meeting.

FRONT LIGHTBAR:

- Remove front lightbar and return to customer

FLASHERS:

Install Five (5) new Whelen 900 Series Super-LED flashers with chrome flanges on the Front of the module in a Straight line across the front of module

Curbside:

- #90RR5FCR Super-LED Clear Lens Red flasher
- #90RR5FCR Super-LED Clear Lens Red flasher

Center:

- #90CC5FCR Super-LED Clear Lens Clear flasher

Street Side:

- #90RR5FCR Super-LED Clear Lens Red flasher
- #90RR5FCR Super-LED Clear Lens Red flasher

Replace eight (8) flashers on module sides and rear with Whelen 900 Series #90RR5FCR Super-LED Clear Lens Red flashers with chrome flanges:

- Four (4) flashers on module sides in upper comers
- Two (2) flashers on module rear in upper comers
- Two (2) flashers on module rear at window height

SCENELIGHTS:

- All Scene and rear load light shall be replaced with white LED scene lights
- Replace the four (4) existing scene lights on module sides and replace With Whelen 900 Series Super LED White Scene Lights.
- Curbside scene lights shall be activated by side passage door or ON/OFF switch in driver's console.
- Replace load lights over rear doors with Whelen M-Series LED #M7ZC scene lights with chrome flanges. Rear scene lights shall be activated by ON/OFF switch in driver's console, rear passage doors, or when the vehicle is placed in REVERSE.

SPOTLIGHT:

- Take off the GO-LIGHT off 56 and mount to the center of cab roof.

INTERSECTION LIGHTS:

- Install two (2) new Whelen 700 Series LED TIR6 #70R02FCR Clear Lens Red/White flashers with chrome housings on cab fenders.
- Install two (2) new Whelen 700 Series #70R02FCR Clear Lens Red/White flashers with chrome flanges above module wheel wells.

GRILLE LIGHTS:

Install Four (4) Whelen 500 Series TIR6 #50R03ZCR Clear Lens Red/White flashers with chrome housings in the grille.

SIREN:

- Transfer existing Federal Signal EQ2B electronic siren in electrical cabinet.

SIREN SPEAKERS:

- Install new Federal Signal speakers and brackets in opening in center portion of bumper.

SEQUENTIAL SWITCHING SYSTEM:

- Existing sequential switching shall be transferred.

FLASHER CONTROL:

- Transfer existing unit.

TRAFFIC ADVISOR:

- Replace with a Whelen #TAM83 and mount where existing one was.

INVERTER:

- Transfer existing 120VAC inverter.

FLUID WARMER:

- Install new dual voltage 120VAC/12VDC warmer with built in thermostat. Location to be determined at preconstruction meeting.

ELECTRIC DOOR LOCKS:

- Utilize electric door locks as they exist.

BACK-UP CAMERA:

- Transfer and rewire existing back-up camera above rear passage doors with monitor in cab. Location of monitor to be determined at preconstruction meeting.

SUPPORTING DOCUMENTATION:

OWNER'S MANUAL:

- Chassis owner information packet.
- Extra set of keys.
- Remount warranty.
- Factory Chassis warranty.
- 1-year/24,000 mile limited electrical warranty.
- Electrical load test.
- Alternator maintenance information.
- Schematics for individual options.
- Warranty and parts list for lightbar, etc.

MISCELLANEOUS EQUIPMENT:

LOOSE EQUIPMENT:

- To be determined at preconstruction meeting.

CUSTOMER-SUPPLIED EQUIPMENT:

- To be determined at preconstruction meeting.

EQUIPMENT TO BE RETURNED:

The following equipment, if not transferred or reused, shall be returned to customer:

- Front light bar with brackets

SECTION 4



Village of Germantown Fire Department

N115 W18752 Edison Drive

Germantown, WI 53022

Chief Gary L. Weiss

gweiss@germantownfiredept.com

(262) 502-4701

Request for Bid Proposals

For

2 Type 1 Ambulance Re-Chassis and Recondition

Two (2) Ambulances

Bid-GFD-16-1

SECTION 4

GENERAL REQUIREMENTS

Completeness of Bid Proposal:

- Bid proposal follows Department specification.
- Bid proposal clearly highlights where proposal provides and acceptable equivalent and/or minimum is proposed to be exceeded. Attach separate sheet explaining any exceptions and/or clarifications.
- Include all required documents for evaluation. Insure bid evaluation checklist is completed and attach copies of warranty certifications and statements along with any exceptions and/or clarifications along with Pricing and Options sheet and this specifications document.

Timetable:

- Bids will be evaluated to the most advantage timetable to compete each unit to the Department.

Days after bid award:

Chassis delivery Approx. 90-120 days after placing order.

Recondition Approx. 90 days after receipt of chassis and existing unit(s).

Testing Part of reconditioning time table.

Final completion Approx. 90 days after receipt of existing unit(s) and chassis.

WARRANTY (minimum)

Modular Structural Warranty shall be twenty (20) years from date of delivery of ambulance. This shall include material and workmanship.

EXCEPTION

Ambulance Conversion Warranty shall be five (5) years from the date of delivery of the ambulance. Ambulance shall be free of substantial defects and shall include material and workmanship. 2 yr/30 K miles

EXCEPTION

Ambulance Electrical Wiring System Conversion Warranty shall be seven (7) years from date of delivery of the vehicle.

Ambulance Paint Conversion Warranty shall be five (5) years from the date of delivery. Paint warranty shall cover any painting done by ambulance remounter.

One (1) Year General Warranty from Date of Pick Up/Delivery to the original retail purchaser to be free from defects in material and workmanship supplied.

SECTION 5



Village of Germantown Fire Department

N115 W18752 Edison Drive

Germantown, WI 53022

Chief Gary L. Weiss

gweiss@germantownfiredept.com

(262) 502-4701

Ambulance Re-Chassis and Reconditioning

Request for Bid Proposals

For

2 Type 1 Ambulance Re-Chassis and Recondition

Two (2) Ambulances

Bid-GFD-16-1

SECTION 5

PRICING AND OPTIONS

Price:

- Lowest total price that meet minimum specifications, including district selected options. Attach completed Pricing and Options sheet.
- Bidder may provide other price options for the district to consider that was not address in the specification.
- Bidder may add additional options on separate page attached to the Pricing and Options sheet.

Price per specification (Section 2 Unit) \$136,230.00

Price per specification (Section 3 Unit) 134,066.00

Chassis trade in (credit) (\$1,000.00) **Note:** Credit of (\$500.00) each chassis.

TOTAL BID PRICE (2 units) \$269,296.00